MOTOREX Oil of Switzerland
Revision: 22.05.2023

Printing date 29.01.2024

Version number 1.3

#### 1 Identification

- · Product identifier
- · Trade name: BIKE CHAIN DEGREASER SPRAY
- Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture

Cleaning agent/ Cleaner Only for proper handling.

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

**MOTOREX AG** 

Bern-Zürich-Strasse 31, Postfach

CH-4901 Langenthal

Tel. +41 (0)62 919 75 75

www.motorex.com

A1 Accessory Imports

60-62 Burchill St.

Loganholme

4129 QLD

Australia

Phone: 07 3451 1300

- · Further information obtainable from: msds@motorex.com
- · Emergency telephone number:

In case of a medical emergency following exposure to a chemical, call Poisons Information Centre Australia 13 11 26

### 2 Hazard(s) Identification

· Classification of the substance or mixture

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if

heated.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H336 May cause drowsiness or dizziness.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- · Label elements
- GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms







GHS02 GHS07 GHS0

· Signal word Danger

Hazard-determining components of labelling:

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Orange juice oil

Hydrocarbons, C8-C9, isoalkanes

isopentane

· Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H315 Causes skin irritation.

(Contd. on page 2)

MOTOREX
Oil of Switzerland
Revision: 22,05,2023

Printing date 29.01.2024

Version number 1.3

#### Trade name: BIKE CHAIN DEGREASER SPRAY

(Contd. of page 1)

H317 May cause an allergic skin reaction. H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P211 Do not spray on an open flame or other ignition source.
P251 Pressurized container: Do not pierce or burn, even after use.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see on this label).

P331 Do NOT induce vomiting.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Other hazards

perfumes

DIPENTENE

- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## 3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
EC number: 927-241-2	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics < 2% aromatics Flam. Liq. 3, H226; Asp. Tox. 1, H304; STOT SE 3, H336	, 25-50%
CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-00-0	butane, pure Flam. Gas 1, H220; Press. Gas C, H280	25-50%
CAS: 8028-48-6 EINECS: 232-433-8	Orange juice oil Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1, H317	≥10-<25%
EC number: 932-020-9	Hydrocarbons, C8-C9, isoalkanes Flam. Liq. 3, H226; Asp. Tox. 1, H304; STOT SE 3, H336	5-10%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0	propan-2-ol Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	≥5-<10%
CAS: 138-86-3 EINECS: 205-341-0 Index number: 601-029-00-7	dipentene Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1, H317	≥0.25-<1%
Regulation (EC) No 648/2004 on detergents / Labelling for contents		
aliphatic hydrocarbons		≥30%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

≥15 - <30%

<5%

Version number 1.3

MOTOREX\*
Oil of Switzerland

Revision: 22,05,2023

Printing date 29.01.2024

Trade name: BIKE CHAIN DEGREASER SPRAY

(Contd. of page 2)

#### 4 First Aid Measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire Fighting Measures

- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

#### 6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and Storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

- · Storage:
- · Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

The recommended storage temperature is (deg.C): -10 - +50°C

Keep container tightly sealed.

· Storage class: 2 B

(Contd. on page 4)

MOTOREX Oil of Switzerland
Revision: 22.05.2023

Printing date 29.01.2024 Version number 1.3

Trade name: BIKE CHAIN DEGREASER SPRAY

(Contd. of page 3)

· Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection					
· Additio	· Additional information about design of technical facilities: No further data; see section 7.				
· Ingredie	ents with limit values that require monito	ring at the w	orkplace:		
106-97-	8 butane, pure				
WES L	ong-term value: 1900 mg/m³, 800 ppm				
67-63-0	propan-2-ol				
	hort-term value: 1230 mg/m³, 500 ppm ong-term value: 983 mg/m³, 400 ppm				
74-98-6	propane				
WES A	sphyxiant				
DNELs					
Hydroca	arbons, C9-C10, n-alkanes, isoalkanes, c	yclics, < 2%	aromatics		
Oral	DNEL/general population/Systemic effect	ts/Long-term	125 mg/kg/24h (consumer)		
Dermal	DNEL / Workers / Systemic effects / Long	g-term	208 mg/kg/24h (worker)		
	DNEL/general population/Systemic effec	ts/Long-term	125 mg/kg/24h (consumer)		
Inhalativ	ve DNEL / Workers / Systemic effects / Long	g-term	871 mg/m3 (worker)		
	DNEL/general population/Systemic effec	ts/Long-term	185 mg/m3 (consumer)		
8028-48	3-6 Orange juice oil				
Oral	DNEL/general population/Systemic effec	ts/Long-term	4.44 mg/kg/24h (consumer)		
Dermal	DNEL / Workers / Systemic effects / Long	g-term	8.89 mg/kg/24h (worker)		
	DNEL/Workers/local effects/acute-short term		0.1858 mg/cm2 (worker)		
	DNEL/general pop/Local effects/acute-short term		0.0929 mg/cm2 (consumer)		
		4.44 mg/kg/24h (consumer)			
Inhalativ	Inhalative   DNEL / Workers / Systemic effects / Long-term   31.1 mg/m3 (worker)		31.1 mg/m3 (worker)		
	DNEL/general population/Systemic effects/Long-term 7.78 mg/m3 (consumer)				
67-63-0	propan-2-ol				
Oral	DNEL/general population/Systemic effec	ts/Long-term	26 mg/kg/24h (consumer)		
Dermal	DNEL / Workers / Systemic effects / Long	g-term	888 mg/kg/24h (worker)		
	DNEL/general population/Systemic effec	ts/Long-term	319 mg/kg/24h (consumer)		
Inhalativ	ve DNEL / Workers / Systemic effects / Long	-	500 mg/m3 (worker)		
	DNEL/general population/Systemic effec	ts/Long-term	89 mg/m3 (consumer)		
·PNECs	PNECs				
	8028-48-6 Orange juice oil				
PΛ	PNEC / Aquatic organisms / Freshwater 0.0054 mg/l (aquatic organisms)				
PN	PNEC / Aquatic organisms / Marine water 0.00054 mg/l (aquatic organisms)				
	PNEC/Aquatic org/intermittent 0.00577 mg/l (aquatic organisms) releases(freshwater)				
	PNEC/Aquatic organisms/Sewage treatment 2.1 mg/l (aquatic organisms) plant/STP				
PN	PNEC / Aquatic organisms / Sediment 1.3 mg/kg (aquatic organisms) (freshwater)				
	PNEC / Aquatic organisms / Sediment 0.13 mg/kg (aquatic organisms) (marine water)				
PNEC / Terrestrial organism / Soil 0.261 mg/kg (terrestrial organisms)		(terrestrial organisms)			

MOTOREX\*
Oil of Switzerland
Revision: 22,05,2023

Printing date 29.01.2024

Version number 1.3

Trade name: BIKE CHAIN DEGREASER SPRAY

		(Contd. of page 4
<i>67-6</i> 3	3-0 propan-2-ol	
Oral	PNEC / Predators / Secondary poisoning	160 mg/kg food (secondary poisoning (predators))
	PNEC / Aquatic organisms / Freshwater	140.9 mg/l (aquatic organisms)
	PNEC / Aquatic organisms / Marine water	140.9 mg/l (aquatic organisms)
	PNEC/Aquatic org/intermittent releases(freshwater)	140.9 mg/l (aquatic organisms)
	PNEC/Aquatic organisms/Sewage treatment plant/STP	2,251 mg/l (aquatic organisms)
	PNEC / Aquatic organisms / Sediment (freshwater)	552 mg/kg (aquatic organisms)
	PNEC / Aquatic organisms / Sediment (marine water)	552 mg/kg (aquatic organisms)
	PNEC / Terrestrial organism / Soil	28 mg/kg (terrestrial organisms)

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

#### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.

Protection of hands:



#### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Not required.
- Body protection: Protective work clothing

## 9 Physical and Chemical Properties

- · General Information
- Appearance:
- Form: Liquefied gas

(Contd. on page 6)



Printing date 29.01.2024 Version number 1.3 Revision: 22.05.2023

Trade name: BIKE CHAIN DEGREASER SPRAY

(Contd. of page 5)

· Colour: Colourless
· Odour: Lemon

· Odour threshold: Not determined. · pH-value: Not determined.

Change in condition

· Melting point/freezing point: Undetermined.

· Initial boiling point and boiling range: Not applicable, as aerosol.

Flash point: <-20 °C

Flammability (solid, gas):
 Auto-ignition temperature:
 Decomposition temperature:
 Not applicable.
 255 °C (DIN 51794)
 Not determined.

• Explosive properties: Product is not explosive. However, formation of explosive

air/vapour mixtures are possible.

· Explosion limits:

Lower: 0.7 Vol %
 Upper: 8.5 Vol %
 Vapour pressure at 20 °C: 2,100 hPa

**Density at 20 °C:** 0.705 g/cm³ (ASTM D 4052)

Relative density
 Vapour density
 Evaporation rate
 Not determined.
 Not applicable.

Solubility in / Miscibility with

· water: Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

· Dynamic: Not determined.

• **Kinematic:** <1 mm²/s @40 °C (DIN 51562-1)

· Solvent separation test:

· **VOC (EC)** 100.00 %

• Other information No further relevant information available.

## 10 Stability and Reactivity

- · Reactivity No further relevant information available.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological Information

- Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:		
Hydrocar	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics		
Oral	LD50	5,000-15,000 mg/kg (rat)	
	NOAEL	1,000-5,000 mg/kg/24h (rat)	
Dermal	LD50	2,000 mg/kg (rat)	
		3,160-5,000 mg/kg (rabbit)	
Inhalative	LC50 / 4h	4.951-9.3 mg/l (rat)	

(Contd. on page 7)



Printing date 29.01.2024

Version number 1.3

Trade name: BIKE CHAIN DEGREASER SPRAY

		(Contd. of page
	LC50 / 8h	41-4,467 ppm (rat)
	LC50 / 8h	5 mg/l (rat)
	NOAEL	200 ppm (rat)
	NOAEC	275-10,400 mg/m3 (rat)
	butane, pure	
Inhalative	LC50 / 15 min	1,442.738-1.443 mg/l (rat)
	LC50 / 15 min	800,000 ppm (rat)
	LC50 / 2h	1,237 mg/l (mouse)
	LC50 / 2h	520,400-539,600 ppm (mouse)
	LC50 / 4h	658 mg/l (rat)
	NOAEC	4,000-16,000 ppm (rat)
	NOAEC	7.2-21.4 mg/l (rat)
	LOAEC	21.6 mg/l (rat)
	LOAEC	12,000 ppm (rat)
8028-48-6	Orange juice	oil
Oral	LD50	5,000 mg/kg (rat)
	NOAEL	100 mg/kg/24h (dog)
		500 mg/kg/24h (mouse)
		600 mg/kg/24h (rat)
	LOAEL	1,000 mg/kg/24h (dog)
		1,200 mg/kg/24h (rat)
Dermal	LD50	5,000 mg/kg (rat)
67-63-0 p	ropan-2-ol	
Oral	LD50	5,840 mg/kg (rat)
Dermal	LD50	16.4 ml/kg (rabbit)
	LD50	12,800 mg/kg (rabbit)
Inhalative	LC50 / 6h	10,000 ppm (rat)
	NOAEC	5,000 ppm (rat)
	NOEC	500-5,000 ppm (rat)
138-86-3	dipentene	
Oral	LD50	5,600 mg/kg (mouse)
		5,300 mg/kg (rat)
Dermal	LD50	5,000 mg/kg (rabbit)

- Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause drowsiness or dizziness.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard May be fatal if swallowed and enters airways.

MOTOREX Oil of Switzerland
Revision: 22.05.2023

Printing date 29.01.2024

Version number 1.3

Trade name: BIKE CHAIN DEGREASER SPRAY

(Contd. of page 7)

## 12 Ecological Information

· Toxicity

	toxicity:	
	arbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics	
LL50	10-30 mg/l/96h (fish)	
LL50	10-30 mg/l/72h (fish)	
LL50	100 mg/l/48h (fish)	
LL50	100 mg/l/24h (fish)	
LL0	10 mg/l/96h (aquatic invertebrates)	
	1 mg/l/96h (fish)	
EL50	22-46 mg/l/48h (aquatic invertebrates)	
	1,000 mg/l/48h (algae / cyanobacteria)	
EL50	100 mg/l/24h (aquatic invertebrates)	
	1,000 mg/l/24h (algae / cyanobacteria)	
EL50	1,000 mg/l/72h (algae / cyanobacteria)	
EL0	10 mg/l/48h (aquatic invertebrates)	
NOELR	0.182 mg/l/28d (fish)	
NOELR	0.317 mg/l/21d (aquatic invertebrates)	
NOELR	1,000 mg/l/72h (algae / cyanobacteria)	
106-97-8	B butane, pure	
LC50	24.1-147.5 mg/l/96h (fish)	
LC50	14.2-69.4 mg/l/48h (aquatic invertebrates)	
EC50	7.7-19.4 mg/l/96h (algae / cyanobacteria)	
8028-48	-6 Orange juice oil	
LL50	5.65 mg/l/96h (fish)	
EL50	1.1 mg/l/48h (aquatic invertebrates)	
EL50	1.4 mg/l/24h (aquatic invertebrates)	
EL50	4.3-150 mg/l/72h (algae / cyanobacteria)	
NOELR	50 mg/l/72h (algae / cyanobacteria)	
NOELR	4 mg/l/96h (fish)	
NOELR	0.48 mg/l/48h (aquatic invertebrates)	
67-63-0	propan-2-ol	
LC50	9.64-10 mg/l/96h (fish)	
LC50	10,000 mg/l/24h (aquatic invertebrates)	
EC50		
138-86-3	3 dipentene	
NOEC	100 mg/l/72h (algae)	
	10 mg/l/72h (Daphnia)	
	100 mg/l/72h (fish)	

- · Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:

· Bioaccumulative p	· Bioaccumulative potential		
Hydrocarbons, C9	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics		
Biodegradability	Biodegradability >80 % (28d) (Biodegradability) (OECD 301 F)		
106-97-8 butane, p	106-97-8 butane, pure		
Partition coefficient 1.09-2.8 [] (log Kow) (Bioaccumulation)			

(Contd. on page 9)

MOTOREX\*
Oil of Switzerland

Revision: 22.05.2023

Printing date 29.01.2024

Version number 1.3

Trade name: BIKE CHAIN DEGREASER SPRAY

(Contd. of page 8)

8028-48-6 Orange juice oil		
Partition coefficient	2.78-4.88 [] (log Kow) (Bioaccumulation)	
Biodegradability	>80 % (28d) (Biodegradability) (OECD 310)	
67-63-0 propan-2-ol		
Partition coefficient	0.05 [] (log Kow) (Bioaccumulation)	
Biodegradability	>70 % (28d) (Biodegradability) (EU Method C.5)	

- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (according to Appendix 1 AWSV): significantly hazardous to water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

- · Uncleaned packaging:
- Recommendation:

Disposal must be made according to official regulations.

Discharged containers can contain flammable or explosive vapours.

14 Trans	port inforn	nation

· UN-Number · ADG, IMDG, IATA	UN1950
· UN proper shipping name · ADG	1950 AEROSOLS, ENVIRONMENTALLY
	HAZARDOUS
· IMDG	AEROSOLS, MARINE POLLUTANT
· IATA	AEROSOLS, flammable

- · Transport hazard class(es)
- · ADG



· Class 2 5F Gases.

(Contd. on page 10)

Revision: 22.05.2023

Printing date 29.01.2024

Version number 1.3

Trade name: BIKE CHAIN DEGREASER SPRAY

	(Contd. of page 9)
· Label	2.1
· IMDG	
· Class · Label	2.1 Gases. 2.1
· IATA	21 Casas
· Class · Label	2.1 Gases. 2.1
· Packing group · ADG, IMDG, IATA	Not classified as hazardous for transport
· Environmental hazards: · Marine pollutant:	Product contains environmentally hazardous substances: (R)-p-mentha-1,8-diene Yes Symbol (fish and tree)
· Special marking (ADG):	Symbol (fish and tree)
Special precautions for user     Hazard identification number (Kemler code     EMS Number:     Stowage Code      Segregation Code	Warning: Gases.  Ie): - F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
Transport in bulk according to Annex II of Marpol and the IBC Code	f Not applicable.
· Transport/Additional information:	
· ADG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E0 Not permitted as Excepted Quantity
· Transport category · Tunnel restriction code	2 D
	(Contd. on page 11)

MOTOREX\*
Oil of Switzerland
Revision: 22,05,2023

Printing date 29.01.2024 Version number 1.3

Trade name: BIKE CHAIN DEGREASER SPRAY

(Contd. of page 10)

	(Conta. or page 10)
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E0 Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS

### 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian Inventory of Industrial Chemicals	
106-97-8	butane, pure
	Orange juice oil
	propan-2-ol
	propane
	isobutane
	isopentane
138-86-3	dipentene

#### · Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

#### · Australia: Priority Existing Chemicals

138-86-3 dipentene

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category

P3a FLAMMĂBLE AEROSOLS

E2 Hazardous to the Aquatic Environment

- Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · Chemical safety assessment: A Chemical Safety Assessment has been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

#### · purity requirement

### Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

(Contd. on page 12)

Revision: 22.05.2023

Printing date 29.01.2024

Version number 1.3

Trade name: BIKE CHAIN DEGREASER SPRAY

(Contd. of page 11)

H336 May cause drowsiness or dizziness.

- · Department issuing SDS: Abteilung Produktsicherheit
- · Contact:
- · Abbreviations and acronyms:

Flam. Gas 1: Flammable gases - Category 1

Aerosol 1: Aerosols – Category 1
Press. Gas C: Gases under pressure – Compressed gas
Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 3: Flammable liquids – Category 3

Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard – Category 1

\* Data compared to the previous version altered.