MOTOREX*
Oil of Switzerland
Revision: 22.01.2024

Printing date 29.01.2024

Version number 3.2

1 Identification

- · Product identifier
- Trade name: BIKE QUICK CLEAN
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture

Only for proper handling. Cleaning material/ Detergent

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

MOTOREX AG

Bern-Zürich-Strasse 31, Postfach

CH-4901 Langenthal Tel. +41 (0)62 919 75 75 www.motorex.com

A1 Accessory Imports 60-62 Burchill St. Loganholme 4129 QLD

Australia Phone : 07 3451 1300

- · Further information obtainable from: msds@motorex.com
- · Emergency telephone number:

In case of a medical emergency following exposure to a chemical, call Poisons Information Centre Australia 13 11 26

2 Hazard(s) Identification

· Classification of the substance or mixture

Flam. Liq. 3 H226 Flammable liquid and vapour.

- · Label elements
- GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms



- · Signal word Warning
- · Hazard statements

H226 Flammable liquid and vapour.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P103 Read label before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

(Contd. on page 2)

MOTOREX*
Oil of Switzerland
Revision: 22.01.2024

Printing date 29.01.2024

Version number 3.2

Trade name: BIKE QUICK CLEAN

(Contd. of page 1)

- · Other hazards
- · Results of PBT and vPvB assessment

P	R	\overline{T}

541-02-6 2,2,4,4,6,6,8,8,10,10-decamethylcyclopentasiloxane

· vPvB

541-02-6 2,2,4,4,6,6,8,8,10,10-decamethylcyclopentasiloxane

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0	propan-2-ol Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	≥5-<10%
CAS: 34590-94-8 EINECS: 252-104-2	Dipropylene glycol monomethyl ether Flam. Liq. 4, H227	2.5-7.5%
CAS: 541-02-6 EINECS: 208-764-9	2,2,4,4,6,6,8,8,10,10-decamethylcyclopentasiloxane PBT; vPvB	≥0-≤1%

·SVHC

541-02-6 2,2,4,4,6,6,8,8,10,10-decamethylcyclopentasiloxane

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

non-ionic surfactants, perfumes ((R)-p-mentha-1,8-diene), preservation agents (sodium <5% benzoate)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Remove residues with soap and water.

Immediately rinse with water.

- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Emergency Action Code / HazChem-Code •3Y

(Contd. on page 3)

MOTOREX Oil of Switzerland
Revision: 22.01.2024

Printing date 29.01.2024

Version number 3.2

Trade name: BIKE QUICK CLEAN

(Contd. of page 2)

· Protective equipment: No special measures required.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

The recommended storage temperature is (deg.C): -10 - +50°C

Keep container tightly sealed.

- · Storage class: 3
- · Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

Additional information about design of technical facilities: No further data; see section 7.

· Ingredients with limit values that require monitoring at the workplace:	ies that require monitoring at the workplace:
67-63-0 propan-2-ol	

WES Short-term value: 1230 mg/m³, 500 ppm Long-term value: 983 mg/m³, 400 ppm

34590-94-8 Dipropylene glycol monomethyl ether

WES Long-term value: 308 mg/m³, 50 ppm

•	DNELs
---	--------------

67-63-0 propan-2-ol

Oral	DNEL/general population/Systemic effects/Long-term	26 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Long-term	888 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Long-term	319 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Long-term	500 mg/m3 (worker)
	DNEL/general population/Systemic effects/Long-term	89 mg/m3 (consumer)

(Contd. on page 4)

MOTOREX*
Oil of Switzerland
Revision: 22.01.2024

Printing date 29.01.2024 Version number 3.2

Trade name: BIKE QUICK CLEAN

(Contd. of page 3) · PNECs 67-63-0 propan-2-ol Oral PNEC / Predators / Secondary poisoning 160 mg/kg food (secondary poisoning (predators)) PNEC / Aquatic organisms / Freshwater 140.9 mg/l (aquatic organisms) PNEC / Aquatic organisms / Marine water 140.9 mg/l (aquatic organisms) PNEC/Aquatic org/intermittent | 140.9 mg/l (aquatic organisms) releases(freshwater) PNEC/Aquatic organisms/Sewage treatment 2,251 mg/l (aquatic organisms) plant/STP PNEC / Aquatic organisms / Sediment | 552 mg/kg (aquatic organisms) (freshwater) PNEC / Aquatic organisms / Sediment 552 mg/kg (aquatic organisms) (marine water) PNEC / Terrestrial organism / Soil 28 mg/kg (terrestrial organisms)

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

· Respiratory protection:

Not necessary if room is well-ventilated.

Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



safety goggles

· Body protection: Protective work clothing

9 Physical and Chemical Properties

- · General Information
- · Appearance:

Form:
Colour:
Colour:
Characteristic
Odour threshold:
Not determined.

(Contd. on page 5)



(Contd. of page 4)

Printing date 29.01.2024 Version number 3.2 Revision: 22.01.2024

Trade name: BIKE QUICK CLEAN

• **pH-value at 20 °C:** 6.7 (DIN 51369)

Change in condition

Melting point/freezing point: Undetermined.
 Initial boiling point and boiling range: Undetermined.

Flash point: 42 °C
 Flammability (solid, gas): Flammable.
 Decomposition temperature: Not determined.

· Explosive properties: Product is not explosive. However, formation of explosive

air/vapour mixtures are possible.

· Explosion limits:

Lower: Not determined.
Upper: Not determined.
Vapour pressure: Not determined.

Density at 20 °C: 0.989 g/cm³ (ASTM D 4052)

Relative density
 Vapour density
 Evaporation rate
 Not determined.
 Not determined.

Solubility in / Miscibility with

· water: Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined.Kinematic: Not determined.

· Solvent separation test:

· **VOC (EC)** 13.03 %

· Other information No further relevant information available.

10 Stability and Reactivity

- · Reactivity No further relevant information available.
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 v	values rele	vant for classification:
67-63-0 pi	ropan-2-ol	
Oral	LD50	5,840 mg/kg (rat)
Dermal	LD50	16.4 ml/kg (rabbit)
	LD50	12,800 mg/kg (rabbit)
Inhalative	LC50 / 6h	10,000 ppm (rat)
	NOAEC	5,000 ppm (rat)
	NOEC	500-5,000 ppm (rat)
34590-94-	8 Dipropyl	ene glycol monomethyl ether
Oral	LD50	5,135 mg/kg (rat)
<u> </u>		(Contd. on page 6

- AU

MOTOREX*
Oil of Switzerland
Revision: 22.01.2024

Printing date 29.01.2024

Version number 3.2

Trade name: BIKE QUICK CLEAN

(Contd. of page 5)

Dermal | LD50 | >19,000 mg/kg (rab)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

Toxicity

· Aquatic toxicity:

67-63-0 propan-2-ol

LC50 9.64-10 mg/l/96h (fish)

LC50 10,000 mg/l/24h (aquatic invertebrates)

EC50 10,000 mg/l/24h (aquatic invertebrates)

- · Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:

· Bioaccumulative potential

67-63-0 propan-2-ol

Partition coefficient 0.05 [---] (log Kow) (Bioaccumulation)

Biodegradability >70 % (28d) (Biodegradability) (EU Method C.5)

- Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes:

Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Water hazard class 2 (according to Appendix 1 AWSV): significantly hazardous to water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

· Results of PBT and vPvB assessment

· PBT:

541-02-6 2,2,4,4,6,6,8,8,10,10-decamethylcyclopentasiloxane

· vPvB:

541-02-6 2,2,4,4,6,6,8,8,10,10-decamethylcyclopentasiloxane

Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

(Contd. on page 7)

Revision: 22.01.2024

Version number 3.2 Printing date 29.01.2024

Trade name: BIKE QUICK CLEAN

(Contd. of page 6)

· Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.

Discharged containers can contain flammable or explosive vapours.

Transport information	
UN-Number	
ADG, IMDG, IATA	UN1993
UN proper shipping name	
ADG	1993 FLAMMABLE LIQUID, N.O.S. (propan-2-ol,
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (propan-2-ol)
Transport hazard class(es)	
ADG	
3	
Class	3 (F1) Flammable liquids.
Label	3
IMDG, IATA	
<u> </u>	
3	
~	0.51
	3 Flammable liquids.
Label	3
Packing group	III
, ,	III
Environmental hazards:	No
	
Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code): EMS Number:	30 F-E,S-E
Stowage Category	A
Transport in bulk according to Annex II of	
	Not applicable.
Transport/Additional information:	··
:	
ADG Limited quantities (LQ)	5L
	Code: E1
	Maximum net quantity per inner packaging: 30 m
	Maximum net quantity per outer packaging: 10
	ml 3
	D/E
IMDG	
	5L
	Code: E1
	Maximum net quantity per inner packaging: 30 m.

MOTOREX Oil of Switzerland
Revision: 22.01.2024

Printing date 29.01.2024

Version number 3.2

	(Contd. of page 7)	
	Maximum net quantity per outer packaging: 1000 ml	
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (PROPA 2-OL), 3, III	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian lı	ventory of Industrial Chemicals		
7732-18-5	water, distilled, conductivity or of similar purity		
67-63-0	propan-2-ol		
34590-94-8	Dipropylene glycol monomethyl ether		
519142-86-0	Silicone Quaternium-17		
29911-28-2	dipropylene glycol butyl ether		
541-02-6	2,2,4,4,6,6,8,8,10,10-decamethylcyclopentasiloxane		
110615-47-9	Alkylpolyglycoside C10-16		
68515-73-1	D-Glucopyranose, oligomers, decyl octyl glycosides		
556-67-2	octamethylcyclotetrasiloxane		
540-97-6	Dodecamethylcyclohexasiloxane		
5989-27-5	(R)-p-mentha-1,8-diene		
1310-73-2	sodium hydroxide		
586-62-9	Terpinene		
532-32-1	sodium benzoate		
8000-41-7	Terpineol		
93-18-5	beta-Naphthol ethyl ether		
88-41-5	2-tert-Butylcyclohexyl acetate		
101-84-8	diphenyl ether		
99-85-4	p-Mentha-1,4-diene		
123-35-3	7-methyl-3-methyleneocta-1,6-diene		
470-82-6	1,8-epoxy-p-menthane		
85-91-6	Methyl N-methylanthranilate		
115-95-7	linalyl acetate		
80-56-8	pin-2(3)-ene		
78-70-6	Linalool		
127-91-3	01-3 beta-Pinene		
1222-05-5	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran		
99-87-6	p-cymene		
5392-40-5	Citral		
106-24-1	Geraniol		
Standard for	the Uniform Scheduling of Medicines and Poisons		
1310-73-2 s	odium hydroxide	S5, S6, S1	
	8-epoxy-p-menthane	S6	
5392-40-5 C	itral	S5	
106-24-1 G	eraniol	<i>S6</i>	

— ÁU

MOTOREX*
Oil of Switzerland
Revision: 22.01.2024

Printing date 29.01.2024

Version number 3.2

Trade name: BIKE QUICK CLEAN

(Contd. of page 8)

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

541-02-6 2,2,4,4,6,6,8,8,10,10-decamethylcyclopentasiloxane

· Chemical safety assessment: A Chemical Safety Assessment has been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

- · purity requirement
- · Relevant phrases

H225 Highly flammable liquid and vapour.

H227 Combustible liquid.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

- · Department issuing SDS: Abteilung Produktsicherheit
- · Contact:
- · Abbreviations and acronyms:

Flam. Liq. 2: Flammable liquids - Category 2

Flam. Liq. 3: Flammable liquids - Category 3

Flam. Liq. 4: Flammable liquids - Category 4

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

* * Data compared to the previous version altered.

AU