ing to WHS Regulations Version number 2.2



1 Identification

Printing date 29.01.2024

- · Product identifier
- · Trade name: CHAINLUBE FOR WET CONDITIONS
- **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture Chain lubricant Only for proper handling.
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier:

MOTOREX AG Bern–Zürich–Strasse 31, Postfach CH–4901 Langenthal Tel. +41 (0)62 919 75 75 www.motorex.com

A1 Accessory Imports 60-62 Burchill St. Loganholme 4129 QLD Australia Phone : 07 3451 1300

- · Further information obtainable from: msds@motorex.com
- · Emergency telephone number:

In case of a medical emergency following exposure to a chemical, call Poisons Information Centre Australia 13 11 26

2 Hazard(s) Identification

· Classification of the substance or mixture

Flam. Liq. 4 H227 Combustible liquid.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements
- The product is classified and labelled according to the Globally Harmonised System (GHS). Hazard pictograms



· Signal word Warning

- Hazard-determining components of labelling: Polysulfides, di-tert-dodecyl
- Hazard statements
 H227 Combustible liquid.
- H317 May cause an allergic skin reaction.
- · Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.
- P210 Keep away from flames and hot surfaces. No smoking.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

ÂU



Printing date 29.01.2024

Version number 2.2

Trade name: CHAINLUBE FOR WET CONDITIONS

(Contd. of page 1) P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. • Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
EC number: 918-481-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cycloalkanes	, 10-25%
	<2% aromatics	
	Asp. Tox. 1, H304	
CAS: 68425-15-0	Polysulfides, di-tert-dodecyl	≥1-≤2.5%
EINECS: 270-335-7	Skin Sens. 1B, H317	_
· Regulation (EC) No 648/2004 on detergents / Labelling for contents		
aliphatic hydrocarbons	2	≥15 - <30%
optical brighteners <5%		<5%
Additional information	P. For the wording of the listed bezord phrases refer to eastion 1	6

• Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact:
- Remove residues with soap and water.
- Remove contaminated clothing immediately.
- Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. Consult a physician if irritation develops.

- After swallowing:
- Do not induce vomitting. Do not take in resorption stimulating agents.

Consult a physician who will decide on need and method of emptying the stomach.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire Fighting Measures

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 29.01.2024

Version number 2.2



Trade name: CHAINLUBE FOR WET CONDITIONS

(Contd. of page 2)

· Protective equipment: No special measures required.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.

 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

• **Reference to other sections** No dangerous substances are released. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and Storage

· Handling:

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Do not spray onto a naked flame or any incandescent material.
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

The recommended storage temperature is (deg.C): ≤50°C

- Keep container tightly sealed.
- Storage class: 10
- Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

• Additional information about design of technical facilities: No further data; see section 7. • Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs		
68425-15-	0 Polysulfides, di-tert-dodecyl	
Oral	DNEL/general population/Systemic effects/Long-term	1.66 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Long-term	33.3 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Long-term	16.66 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Long-term	23.5 mg/m3 (worker)
	DNEL/general population/Systemic effects/Long-term	5.8 mg/m3 (consumer)
		(Contd. on page 4)





Trade name: CHAINLUBE FOR WET CONDITIONS

PNECs	(Contd. of page
68425-15-0 Polysulfides, di-tert-dodec	cyl
Oral PNEC / Predators / Secondary pois	soning 66.7 mg/kg food (secondary poisoning (predators))
PNEC/Aquatic organisms/Sewage plant/STP	e treatment 1,000 mg/l (aquatic organisms)
Additional information: The lists valid of	during the making were used as basis.
Personal protective equipment:	
General protective and hygienic meas	sures:
Keep away from foodstuffs, beverages a	and feed.
Immediately remove all soiled and contain	
Wash hands before breaks and at the er	nd of work.
Do not inhale gases / fumes / aerosols.	
Respiratory protection:	
	n use respiratory filter device. In case of intensive or long
exposure use self-contained respiratory	protective device.
Not necessary if room is well-ventilated.	rocal or mist; use mask with filter type AQ_AQ/DQ as ADEK
Protection of hands:	rosol or mist: use mask with filter type A2, A2/P2 or ABEK.
- M	
Protective gloves	
<u> </u>	
	neable and resistant to the product/ the substance/ th
preparation.	
	ideration of the penetration times, rates of diffusion and th
degradation	
Material of gloves	s not only depend on the material, but also on further marl
	to manufacturer. As the product is a preparation of sever
	material can not be calculated in advance and has therefor
to be checked prior to the application	
to be checked prior to the application. Penetration time of glove material	
Penetration time of glove material	found out by the manufacturer of the protective gloves ar
Penetration time of glove material	found out by the manufacturer of the protective gloves ar
Penetration time of glove material The exact break through time has to be has to be observed. Eye protection: Goggles recommended	d during refilling
Penetration time of glove material The exact break through time has to be has to be observed.	d during refilling
Penetration time of glove material The exact break through time has to be has to be observed. Eye protection: Goggles recommended	d during refilling
Penetration time of glove material The exact break through time has to be has to be observed. Eye protection: Goggles recommended	d during refilling ing
Penetration time of glove material The exact break through time has to be has to be observed. Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Propert	d during refilling ing
Penetration time of glove material The exact break through time has to be has to be observed. Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Propert General Information	d during refilling ing
Penetration time of glove material The exact break through time has to be has to be observed. Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Propert General Information Appearance:	d during refilling ing
Penetration time of glove material The exact break through time has to be has to be observed. Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Propert General Information Appearance: Form:	d during refilling ing fies
Penetration time of glove material The exact break through time has to be has to be observed. Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Propert General Information Appearance: Form: Colour:	d during refilling ing t ies Fluid yellow fluorescent
Penetration time of glove material The exact break through time has to be has to be observed. Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Propert General Information Appearance: Form: Colour: Odour:	d during refilling ing t ies Fluid yellow fluorescent weak fatty acid
Penetration time of glove material The exact break through time has to be has to be observed. Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Propert General Information Appearance: Form: Colour: Odour: Odour threshold:	d during refilling ing t ies Fluid yellow fluorescent
Penetration time of glove material The exact break through time has to be has to be observed. Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Properti General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value:	d during refilling ing fies Fluid yellow fluorescent weak fatty acid Not determined.
Penetration time of glove material The exact break through time has to be has to be observed. Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Properti General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value: Change in condition	d during refilling ing fluid yellow fluorescent weak fatty acid Not determined. Not determined.
Penetration time of glove material The exact break through time has to be has to be observed. Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Properti General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point:	d during refilling ing fluid yellow fluorescent weak fatty acid Not determined. Not determined. Undetermined.
Penetration time of glove material The exact break through time has to be has to be observed. Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Propertion General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range:	d during refilling ing fluid yellow fluorescent weak fatty acid Not determined. Not determined. Undetermined.
Penetration time of glove material The exact break through time has to be has to be observed. Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Propertion General Information Appearance: Form: Colour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range: Setting temperature / range:	fluid fluid yellow fluorescent weak fatty acid Not determined. Not determined. Undetermined.
Penetration time of glove material The exact break through time has to be has to be observed. Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Propertion General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range:	fluid fluid yellow fluorescent weak fatty acid Not determined. Not determined. Undetermined. Undetermined. -24 °C
Penetration time of glove material The exact break through time has to be has to be observed. Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Properti General Information Appearance: Form: Colour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range: Setting temperature / range: Flash point:	ing Fluid yellow fluorescent weak fatty acid Not determined. Not determined. Undetermined. : Undetermined. : Undetermined. : 0 0 °C

Printing date 29.01.2024

Version number 2.2



Trade name: CHAINLUBE FOR WET CONDITIONS

	(Contd. of page 4)
· Explosive properties:	Not determined.
· Explosion limits:	
Lower:	Not determined.
· Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	0.892 g/cm³ (ASTM D 4052)
Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
· Dynamic:	Not determined.
· Kinematic:	27 mm²/s @ 40 °C
 Solvent separation test: 	
· VOC (EC)	20.00 %
· Other information	No further relevant information available.

10 Stability and Reactivity

· Reactivity No further relevant information available.

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

· Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

68425-15-0 Polysulfides, di-tert-dodecyl

00423-13-0 1 Olysumues, ul-tent-ubuceyi		
Oral	LD50	19,550 mg/kg (rat)
	NOAEL	19,550 mg/kg (rat) 1,000 mg/kg/24h (rat)
Dermal		2,000 mg/kg (rat)
Inhalative	LC50 / 4h	15.5 mg/l (rat)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation May cause an allergic skin reaction.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Based on available data, the classification criteria are not met.


• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)

AU



Version number 2.2



Trade name: CHAINLUBE FOR WET CONDITIONS

(Contd. of page 5)

12 Ecological Information	
· Toxicity	
• Aquatic toxicity:	
68425-15-0 Polysulfides, di-tert-doo	decyl
LC50 100 mg/l/96h (fish)	-
LC0 100 mg/l/96h (fish)	
LL50 100 mg/l/96h (fish)	
NOEC 0.08 mg/l/72h (algae / cyanob	pacteria)
10-10,000 mg/l/72h (microorg	ganisms)
NOEC 100 mg/l/96h (fish)	
NOEC 0.1 mg/l/48h (aquatic inverteb	prates)
Persistence and degradability Biod	
Behaviour in environmental system	ns:
Bioaccumulative potential	
68425-15-0 Polysulfides, di-tert-doo	•
Partition coefficient 6.2-12.45 [] (lo	
Mobility in soil No further relevant in	formation available.
 Additional ecological information: General notes: 	
	ppendix 1 AwSV): slightly hazardous for water
	arge quantities of it to reach ground water, water course or
sewage system.	
Results of PBT and vPvB assessm	ent
• PBT: Not applicable.	
 • vPvB: Not applicable. • Other adverse effects No further rel 	evant information available
13 Disposal considerations	
· Waste treatment methods	
· Recommendation	
	household garbage. Do not allow product to reach sewage
system.	an information
Contact waste processors for recyclir	ng information. ed container in original packaging to the point of sale or hand it
over to a collection point for special w	
· Uncleaned packaging:	
	e made according to official regulations.
14 Transport information	
· UN-Number	
· ADG, ADN, IMDG, IATA	Not classified as hazardous for transport
· UN proper shipping name	
· ADG, ADN, IMDG, IATA	Not classified as hazardous for transport
Transport hazard class(es)	
· ADG, ADN, IMDG, IATA · Class	Not classified as hazardous for transport
-400	

(Contd. on page 7)

AU



Printing date 29.01.2024

Version number 2.2

Trade name: CHAINLUBE FOR WET CONDITIONS

	(Contd. of page 6)
· Packing group · ADG, IMDG, IATA	Not classified as hazardous for transport
• Environmental hazards: • Marine pollutant:	No
· Special precautions for user	Not applicable.
Transport in bulk according to Anno Marpol and the IBC Code	ex II of Not applicable.
· UN "Model Regulation":	Not classified as hazardous for transport

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture
 Australian Inventory of Industrial Chemicals

· Australian Inventory of Industrial Chemicals		
68425-15-0	Polysulfides, di-tert-dodecyl	
1471316-72-9	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	
7128-64-5	2,5-thiophenediylbis(5-tert-butyl-1,3-benzoxazole)	
64742-53-6	Distillates (petroleum), hydrotreated light naphthenic	
64741-96-4	Distillates (petroleum), solvent-refined heavy naphthenic	
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic	
72623-86-0	Lubricating oils, C15-30, hydrotreated neutral oil-based	
72623-87-1	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	
· Standard for the Uniform Scheduling of Medicines and Poisons		
None of the ingredients is listed.		
· Australia: Priority Existing Chemicals		
None of the ingredients is listed.		

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

- · purity requirement
- · Relevant phrases

H304 May be fatal if swallowed and enters airways. H317 May cause an allergic skin reaction.

- · Department issuing SDS: Abteilung Produktsicherheit
- · Contact:
- **Abbreviations and acronyms:** Flam. Liq. 4: Flammable liquids – Category 4 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B Asp. Tox. 1: Aspiration hazard – Category 1
- * Data compared to the previous version altered.