Version number 1.0

Oil of Switzerlar Revision: 15.03.2022

Printing date 29.01.2024

1 Identification

- · Product identifier
- Trade name: CHAINLUBE WITH PTFE
- **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance** / **the mixture** Only for proper handling. Chain lubricant
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier:

MOTOREX AG Bern–Zürich–Strasse 31, Postfach CH–4901 Langenthal Tel. +41 (0)62 919 75 75 www.motorex.com

A1 Accessory Imports 60-62 Burchill St. Loganholme 4129 QLD Australia Phone : 07 3451 1300

- · Further information obtainable from: msds@motorex.com
- Emergency telephone number:

In case of a medical emergency following exposure to a chemical, call Poisons Information Centre Australia 13 11 26

2 Hazard(s) Identification

· Classification of the substance or mixture

Flam. Liq. 4 H227 Combustible liquid.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

```
· GHS label elements
```

The product is classified and labelled according to the Globally Harmonised System (GHS). • Hazard pictograms



· Signal word Warning

- Hazard-determining components of labelling: Polysulfides, di-tert-dodecyl
- Hazard statements
 H227 Combustible liquid.
- H317 May cause an allergic skin reaction.
- · Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.
- P210 Keep away from flames and hot surfaces. No smoking.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

AU

Version number 1.0

Revision: 15.03.2022

Printing date 29.01.2024

Trade name: CHAINLUBE WITH PTFE

(Contd. of page 1) P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P403+P235 Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international P501 regulations.

· Other hazards

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition and Information on Ingredients

- Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous components: 		
EC number: 918-481-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics Asp. Tox. 1, H304	50-70%
CAS: 64742-46-7 EINECS: 265-148-2 Index number: 649-221-00-X	Distillates (petroleum), hydtrotreated middle Asp. Tox. 1, H304	2.5-7.5%
CAS: 68425-15-0 EINECS: 270-335-7	Polysulfides, di-tert-dodecyl Skin Sens. 1B, H317	1%
CAS: 68413-48-9 EINECS: 270-220-1	Dibutyl [[bis[(2-ethylhexyl)oxy]phosphinoth ioyl]thio] succinate Skin Sens. 1B, H317	≥0.25-<1%
· Regulation (EC) No 648/200	4 on detergents / Labelling for contents	
aliphatic hydrocarbons		≥30%

aliphatic hydrocarbons optical brighteners

· Additional information:

Note L: The classification as carcinogen does not apply because the mixture (or substance) contains less than 3% dimethyl sulfoxide extract (DMSO), measured according to IP 346. For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

· General information: Immediately remove any clothing soiled by the product.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire Fighting Measures

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3) - AU ·

<5%

Version number 1.0

Oil of Switzerland Revision: 15.03.2022

(Contd. of page 2)

Printing date 29.01.2024

Trade name: CHAINLUBE WITH PTFE

· Protective equipment: No special measures required.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and Storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Do not spray onto a naked flame or any incandescent material.
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: The recommended storage temperature is (deg.C): ≤50°C Keep container tightly sealed.
- · Storage class: 10
- Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

• Additional information about design of technical facilities: No further data; see section 7. • Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs		
64742-46-	7 Distillates (petroleum), hydtrotreated middle	
Dermal	DNEL / Workers / Systemic effects / Long-term	2.9 mg/kg/24h (worker)
Inhalative	DNEL / Workers / Systemic effects / Long-term	16 mg/m3 (worker)
68425-15-	0 Polysulfides, di-tert-dodecyl	
Oral	DNEL/general population/Systemic effects/Long-term	1.66 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Long-term	33.3 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Long-term	16.66 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Long-term	23.5 mg/m3 (worker)
	DNEL/general population/Systemic effects/Long-term	5.8 mg/m3 (consumer)
		(Contd. on page

- AU

Version number 1.0



Printing date 29.01.2024

Trade name: CHAINLUBE WITH PTFE

		(Contd. of page
PNECs		
68425-15-0 Polysulfides, di-tert-dodec		00.7
Oral PNEC / Predators / Secondary pois	soning	66.7 mg/kg food (secondary poisoning (predators))
PNEC/Aquatic organisms/Sewage plant/STP	treatment	1,000 mg/l (aquatic organisms)
Additional information: The lists valid of	during the n	naking were used as basis.
Personal protective equipment:	-	-
General protective and hygienic meas		
Keep away from foodstuffs, beverages a		
Immediately remove all soiled and contai		thing
Wash hands before breaks and at the en	id of work.	
Do not inhale gases / fumes / aerosols.		
Respiratory protection:	uco rocni	ratory filter device. In case of intensive or long
exposure use self-contained respiratory		
Not necessary if room is well-ventilated.		
	osol or misi	t: use mask with filter type A2, A2/P2 or ABEK.
Protection of hands:		
Diretective slaves		
Protective gloves		
The glove material has to be imperm	eable and	resistant to the product/ the substance/ th
preparation.	-	
	deration of	the penetration times, rates of diffusion and th
degradation		
Material of gloves		
The selection of the suitable gloves does	not only d	epend on the material, but also on further marl
		sturer. As the product is a preparation of sever
	naterial car	n not be calculated in advance and has therefo
to be checked prior to the application.		
Penetration time of glove material	found out h	by the manufacturer of the protective gloves ar
has to be observed.		y the manufacturer of the protective gibbes at
	durina refi	lling
Eye protection: Goggles recommended		ling
		ling
Eye protection: Goggles recommended Body protection: Protective work clothin	ng	ling
Eye protection: Goggles recommended	ng	
Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Properti	ng	ling
Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Properti General Information	ng	ling
Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Properti General Information Appearance:	ies	ling
Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Properti General Information Appearance: Form:	ng ies Fluid	
Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Properti General Information Appearance: Form: Colour:	ng ies Fluid Light beige	-
Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Properti General Information Appearance: Form: Colour: Odour:	ng [es Fluid Light beige Characteri	e stic
Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Properti General Information Appearance: Form: Colour: Odour: Odour threshold:	ng Fluid Light beige Characteri Not detern	stic nined.
Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Properti General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value:	ng [es Fluid Light beige Characteri	stic nined.
Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Properti General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value: Change in condition	ng Fluid Light beige Characteri Not detern	e stic nined. nined.
Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Properti General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point:	ng Fluid Light beige Characteri Not detern Not determ Undetermi	e stic nined. nined.
Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Properti General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range:	ng Fluid Light beige Characteri Not detern Not determ Undetermi	e stic nined. nined.
Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Properti General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range: Flash point:	Fluid Light beige Characteri Not detern Not determi Undetermi 61 °C	e stic nined. nined. ned. ned.
Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Properti General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range: Flash point: Flammability (solid, gas):	ng Fluid Light beige Characteri Not detern Not determ Undetermi Undetermi	e stic nined. nined. ned. ned.
Eye protection: Goggles recommended Body protection: Protective work clothin Physical and Chemical Properti General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range: Flash point: Flammability (solid, gas): Decomposition temperature:	Fluid Light beige Characteri Not detern Not determi Undetermi 61 °C Not applica	e stic nined. nined. ned. ned. ned.

AU

Printing date 29.01.2024

Version number 1.0



- AU

Trade name: CHAINLUBE WITH PTFE

	(Contd. o	of page 4
· Explosion limits:		
· Lower:	Not determined.	
· Upper:	Not determined.	
· Vapour pressure:	Not determined.	
Density at 20 °C:	0.817 g/cm³ (ASTM D 4052)	
Relative density	Not determined.	
· Vapour density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
· water:	Not miscible or difficult to mix.	
· Partition coefficient: n-octanol	/water: Not determined.	
· Viscosity:		
· Dynamic:	Not determined.	
· Kinematic:	33 mm²/s @ 40 °C	
· Other information	No further relevant information available.	

10 Stability and Reactivity

- · Reactivity No further relevant information available.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

· Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

Oral	LD50	5,000 mg/kg (rat)
Dermal	LD50	2,000 mg/kg (rabbit)
	NOAEL	25-125 mg/kg/24h (rat)
		1,000 mg/kg/24h (rabbit)
	LOAEL	30 mg/kg/24h (rat)
Inhalative	LC50 / 4h	1.72-4.6 mg/l (rat)
	NOAEC	880-1,710 mg/m3 (rat)
	LOEL	23-24 mg/m3 (rat)
68425-15-	0 Polysulf	ides, di-tert-dodecyl
Oral	LD50	19,550 mg/kg (rat)
	NOAEL	1,000 mg/kg/24h (rat)
Dermal	LD50	2,000 mg/kg (rat)
Inhalative	LC50 / 4h	15.5 mg/l (rat)
68413-48-	9 Dibutyl [[[bis[(2-ethylhexyl)oxy]phosphinoth ioyl]thio]succinate
Oral	LD50	11,300 mg/kg (rat) (OECD 401)
	NOAEL	1,000 mg/kg (rat)



Printing date 29.01.2024

Version number 1.0

Trade name: CHAINLUBE WITH PTFE

(Contd. of page 5)

- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

-	c toxicity: 46-7 Distillates (petroleum), hydtrotreated middle
LL50	1.13-65 mg/l/96h (fish)
LL50	21-150 mg/l/72h (fish)
LL50	28-180 mg/l/48h (fish)
LL50	100-1,000 mg/l/24h (fish)
EL50	7.385-210 mg/l/48h (aquatic invertebrates)
EL50	180-1,000 mg/l/24h (aquatic invertebrates)
EL50	1.714-22 mg/l/72h (algae / cyanobacteria)
68425-	15-0 Polysulfides, di-tert-dodecyl
LC50	100 mg/l/96h (fish)
LC0	100 mg/l/96h (fish)
LL50	100 mg/l/96h (fish)
NOEC	0.08 mg/l/72h (algae / cyanobacteria)
	10-10,000 mg/l/72h (microorganisms)
NOEC	100 mg/l/96h (fish)
NOEC	0.1 mg/l/48h (aquatic invertebrates)
	48-9 Dibutyl [[bis[(2-ethylhexyl)oxy]phosphinoth ioyl]thio]succinate
EC50	>100 mg/l/72h (Desmodesmus subspicatus) (OECD 201)
EC50	>100 mg/l/48h (Daphnia Magna) (OECD 202)
LL50	>100 mg/l/96h (rainbow trout) (OECD 203)
	ence and degradability No further relevant information available.
	umulative potential
	46-7 Distillates (petroleum), hydtrotreated middle
•	radability 74 % (28d) (Biodegradability) (OECD 306)
	15-0 Polysulfides, di-tert-dodecyl
	n coefficient 6.2-12.45 [] (log Kow) (Bioaccumulation)
	48-9 Dibutyl [[bis[(2-ethylhexyl)oxy]phosphinoth ioyl]thio]succinate
	n coefficient 6.5 [] (log Kow) (Bioaccumulation) (OECD 117)
0	radability 12.1 % (28d) (Biodegradability) (OECD 301 B)
	y in soil No further relevant information available.
	onal ecological information: Il notes:
	allow undiluted product or large quantities of it to reach ground water, water course
sewage	e system.
	s of PBT and vPvB assessment
ΡΒΤ: Ν	lot applicable.

(Contd. on page 7)

⁻ AU

Printing date 29.01.2024

Version number 1.0



(Contd. of page 6)

Trade name: CHAINLUBE WITH PTFE

- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

UN-Number	
NDG, IMDG, IATA	Not classified as hazardous for transport
JN proper shipping name ADG, IMDG, IATA	Not classified as hazardous for transport
Transport hazard class(es)	
ADG, ADN, IMDG, IATA	
Class	Not classified as hazardous for transport
Packing group	
ADG, IMDG, IATA	Not classified as hazardous for transport
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Ann	ex II of
Marpol and the IBC Code	Not applicable.
UN "Model Regulation":	Not classified as hazardous for transport

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

	· Australian Inventory of Industrial Chemicals	
64742-47-8	Distillates (petroleum), hydrotreated light	
1569-01-3	1-propoxypropan-2-ol	
64742-46-7	Distillates (petroleum), hydtrotreated middle	
68425-15-0	Polysulfides, di-tert-dodecyl	
67-63-0	propan-2-ol	
68413-48-9	Dibutyl [[bis[(2-ethylhexyl)oxy]phosphinoth ioyl]thio]succinate	
	tetra-n-butoxytitanium	
64743-00-6	Hydrocarbon waxes (petroleum), oxidized	
61789-86-4	Calcium petroleumsulfonate, synthetic, neutral	
-	(Contd. on page 8)	

Version number 1.0



Printing date 29.01.2024

Trade name: CHAINLUBE WITH PTFE

	(Contd. of page 7
64742-53-6	Distillates (petroleum), hydrotreated light naphthenic
261767-39-9	Fatty acids, C8-18 and C18-unsatd., polymers with adipic acid and pentaerythritol
268567-32-4	Propanoic acid, 3-[[bis(2-methylpropoxy)phosphinothioyl]thio]-2-methyl-
68442-68-2	benzenamine, N-phenyl-, styrenated
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic
72623-86-0	Lubricating oils, C15-30, hydrotreated neutral oil-based
72623-87-1	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based
7128-64-5	2,5-thiophenediylbis(5-tert-butyl-1,3-benzoxazole)
1809-19-4	dibutyl phosphonate
29385-43-1	methyl-1H-benzotriazole
61789-86-4	Calcium petroleumsulfonate, synthetic, neutral
105-75-9	dibutyl fumarate
· Standard for	the Uniform Scheduling of Medicines and Poisons
None of the in	ngredients is listed.
· Australia: Pr	iority Existing Chemicals
None of the in	ngredients is listed.
• Directive 201 • Named dang	12/18/EU Perous substances - ANNEX I None of the ingredients is listed.
· Chemical sa	fety assessment: A Chemical Safety Assessment has been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

- · purity requirement
- · Relevant phrases

H304 May be fatal if swallowed and enters airways. H317 May cause an allergic skin reaction.

- · Department issuing SDS: Abteilung Produktsicherheit
- Contact:
- Abbreviations and acronyms:

Flam. Liq. 4: Flammable liquids – Category 4 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B Asp. Tox. 1: Aspiration hazard – Category 1

AU -