Version number 3.3

Printing date 29.01.2024



1 Identification

- · Product identifier
- · Trade name: CHAIN CLEAN DEGREASER SPRAY
- **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture Only for proper handling. Cleaning agent/ Cleaner
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier:

MOTOREX AG Bern–Zürich–Strasse 31, Postfach CH–4901 Langenthal Tel. +41 (0)62 919 75 75 www.motorex.com

A1 Accessory Imports 60-62 Burchill St. Loganholme 4129 QLD Australia Phone : 07 3451 1300

- · Further information obtainable from: msds@motorex.com
- Emergency telephone number:

In case of a medical emergency following exposure to a chemical, call Poisons Information Centre Australia 13 11 26

2 Hazard(s) Identification

· Classification of the substance or mixture

Aerosol 1		Extremely flammable aerosol. Pressurised container: May burst if heated.
Serious eye damage/irritation – Category 2A	H319	Causes serious eye irritation.
STOT SE 3	H336	May cause drowsiness or dizziness.
Asp. Tox. 1	H304	May be fatal if swallowed and enters airways.

Label elements

· GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS). • Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics isopentane

Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.

(Contd. on page 2)

⁻ AU

Page 2/10

Safety Data Sheet according to WHS Regulations

Printing date 29.01.2024

Version number 3.3



Trade name: CHAIN CLEAN DEGREASER SPRAY

(Contd. of page 1)
e fatal if swallowed and enters airways.
atements
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
Do not spray on an open flame or other ignition source.
Pressurized container: Do not pierce or burn, even after use.
IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
Do NOT induce vomiting.
FIF IN EYES: Rinse cautiously with water for several minutes. Remove contact
lenses, if present and easy to do. Continue rinsing.
Store locked up.
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
Dispose of contents/container in accordance with local/regional/national/
international regulations.

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- vPvB: Not applicable.

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	50-70%
butane, pure	25-50%
Flam. Gas 1, H220; Press. Gas C, H280	
propan-2-ol	≥10-<20%
Flam. Lig. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	
04 on detergents / Labelling for contents	
	≥30%
	<5%
	Flam. Liq. 2, H225; Asp. Tox. 1, H304; STOT SE 3, H336 butane, pure Flam. Gas 1, H220; Press. Gas C, H280

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

AL



Printing date 29.01.2024

Version number 3.3

Trade name: CHAIN CLEAN DEGREASER SPRAY

(Contd. of page 2)

5 Fire Fighting Measures

- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental Release Measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
 Environmental precautions:
- Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and Storage

· Handling:

- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection:
- Keep ignition sources away Do not smoke. Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C,
- i.e. electric lights. Do not pierce or burn, even after use. Do not spray onto a naked flame or any incandescent material.
- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- The recommended storage temperature is $(deg.C): \le 50^{\circ}C$ Keep container tightly sealed.
- Storage class: 2 B
- · Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

· Additional information about design of technical facilities: No further data; see section 7.

· Ingredients with limit values that require monitoring at the workplace:

106-97-8 butane, pure

WES Long-term value: 1900 mg/m³, 800 ppm

67-63-0 propan-2-ol

WES Short-term value: 1230 mg/m³, 500 ppm Long-term value: 983 mg/m³, 400 ppm

(Contd. on page 4)

AU



Printing date 29.01.2024

Version number 3.3

Trade name: CHAIN CLEAN DEGREASER SPRAY

74-98-6 p	ropane		(Contd. of page
WES As			
DNELs			
	rbons, C7-C9, n-alkanes, isoalkanes, cy	clics	
Oral	DNEL/general population/Systemic effect		699 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Lon	-	773 mg/kg/24h (worker)
201110	DNEL/general population/Systemic effect	-	699 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Lon	-	2,035 mg/m3 (worker)
	DNEL/general population/Systemic effect	-	608 mg/m3 (consumer)
67-63-0 p	propan-2-ol		
Oral	DNEL/general population/Systemic effect	ts/Long-term	26 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Lon	g-term	888 mg/kg/24h (worker)
	DNEL/general population/Systemic effect	ts/Long-term	319 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Lon	g-term	500 mg/m3 (worker)
	DNEL/general population/Systemic effect	ts/Long-term	89 mg/m3 (consumer)
PNECs		-	,
	propan-2-ol		
-	EC / Predators / Secondary poisoning	160 mg/kg (predators))	food (secondary poisoning
PNE	EC / Aquatic organisms / Freshwater	140.9 mg/l (a	aquatic organisms)
PNE	EC / Aquatic organisms / Marine water	140.9 mg/l (a	aquatic organisms)
	EC/Aquatic org/intermittent	140.9 mg/l (a	aquatic organisms)
	ases(freshwater)		
plan	EC/Aquatic organisms/Sewage treatment t/STP		
(fres	EC / Aquatic organisms / Sediment shwater)		
(ma	EC / Aquatic organisms / Sediment rine water)		
	EC / Terrestrial organism / Soil al information: The lists valid during the r		rrestrial organisms)
General Keep awa Immediate Wash har Do not inl Avoid cor Avoid cor	protective equipment: protective and hygienic measures: ay from foodstuffs, beverages and feed. ely remove all soiled and contaminated clo nds before breaks and at the end of work. hale gases / fumes / aerosols. hact with the eyes. htact with the eyes and skin. pry protection:	othing	
exposure Not neces Respirato Protectio The glov	f brief exposure or low pollution use respi use self-contained respiratory protective of ssary if room is well-ventilated. ry protection if formation of aerosol or mis on of hands: e material has to be impermeable and	device. t: use mask w	vith filter type A2, A2/P2 or ABEK.
degradati Material	of the glove material on consideration of on o f gloves		
of quality	tion of the suitable gloves does not only of and varies from manufacturer to manufac es, the resistance of the glove material car	cturer. As the	product is a preparation of sever



Printing date 29.01.2024

Version number 3.3

Trade name: CHAIN CLEAN DEGREASER SPRAY

to be checked prior to the application.	(Contd. of page
· Penetration time of glove material	
	be found out by the manufacturer of the protective gloves an
has to be observed.	
• Eye protection: Not required.	
· Body protection: Protective work clo	othing
Physical and Chemical Prop	erties
· General Information	
· Appearance:	
Form:	Liquefied gas
· Colour:	Colourless
· Odour:	green apple
· Odour threshold:	Not determined.
· pH-value:	Not determined.
Change in condition	
· Melting point/freezing point:	Undetermined.
Initial boiling point and boiling ran	ge: Not applicable, as aerosol.
· Flash point:	<-25 °C
· Flammability (solid, gas):	Not applicable.
Auto-ignition temperature:	310 °C (DIN 51794)
Decomposition temperature:	Not determined.
Explosive properties:	Product is not explosive. However, formation of explosiv
	air/vapour mixtures are possible.
· Explosion limits:	
Lower:	0.9 Vol %
· Upper:	12 Vol %
Vapour pressure at 20 °C:	2,100 hPa
Density at 20 °C:	0.746 g/cm³ (ASTM D 4052)
Relative density	Not determined.
· Vapour density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
· water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/wat	er: Not determined.
· Viscosity:	< 1 mm²/s @40 °C
· Dynamic:	Not determined.
· Kinematic:	< 1 mm²/s @ 40 °C (DIN 51562-1)

10 Stability and Reactivity

· Reactivity No further relevant information available.

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

AU

Printing date 29.01.2024

Version number 3.3

Oil of Switzerland Revision: 31.01.2023

Trade name: CHAIN CLEAN DEGREASER SPRAY

(Contd. of page 5)

	•	available data, the classification criteria are not met.
		t for classification:
		n-alkanes, isoalkanes, cyclics
Oral	LD50	8 ml/kg (rat)
Dermal	LD50	4 ml/kg (rat)
	LD50	2,800-3,100 mg/kg (rat)
Inhalative	LC50 / 4h	23.3 mg/l (rat)
	NOAEC	5.8-24.3 mg/l (rat)
	butane, pure	
Inhalative	LC50 / 15 min	1,442.738-1.443 mg/l (rat)
	LC50 / 15 min	800,000 ppm (rat)
	LC50 / 2h	1,237 mg/l (mouse)
	LC50 / 2h	520,400-539,600 ppm (mouse)
	LC50 / 4h	658 mg/l (rat)
	NOAEC	4,000-16,000 ppm (rat)
	NOAEC	7.2-21.4 mg/l (rat)
	LOAEC	21.6 mg/l (rat)
	LOAEC	12,000 ppm (rat)
67-63-0 p	ropan-2-ol	
Oral	LD50	5,840 mg/kg (rat)
Dermal	LD50	16.4 ml/kg (rabbit)
	LD50	12,800 mg/kg (rabbit)
Inhalative	LC50 / 6h	10,000 ppm (rat)
	NOAEC	5,000 ppm (rat)
	NOEC	500-5,000 ppm (rat)

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

• Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure May cause drowsiness or dizziness.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard May be fatal if swallowed and enters airways.

12 Ecological Information

· Toxicity

· Aquatic toxicity:

	Hydrocarbons, C7-0	C9, n-alkanes.	, isoalkanes, o	cvclics
--	--------------------	----------------	-----------------	---------

- EC50 0.23 mg/l/21d (aquatic invertebrates)
- *EC50* 0.64 mg/l/48h (aquatic invertebrates)
- LL50 3-10 mg/l/96h (fish)
- LL50 10-30 mg/l/72h (fish)
- LL50 10-30 mg/l/48h (fish)

(Contd. on page 7)

AU



Printing date 29.01.2024

Version number 3.3

Trade name: CHAIN CLEAN DEGREASER SPRAY

LL50 30-100 mg/l/24h (fish) LL0 3 mg/l/96h (fish) EL50 13 mg/l/96h (fish) EL50 4.6-10 mg/l/48h (aquatic invertebrates) 10-30 mg/l/24h (algae / cyanobacteria) EL50 10-30 mg/l/24h (algae / cyanobacteria) EL50 10-30 mg/l/24h (algae / cyanobacteria) EL50 10-30 mg/l/24h (aquatic invertebrates) 10-30 mg/l/24h (aquatic invertebrates) 10 mg/l/24h (aquatic invertebrates) NOEC 0.17 mg/l/21d (aquatic invertebrates) NOELR 0.574 mg/l/28d (fish) NOELR 0.574 mg/l/28d (aquatic invertebrates) NOELR 6.3 mg/l/96h (algae / cyanobacteria) LC50 24.1-147.5 mg/l/96h (fish) LC50 24.2-63.4 mg/l/86h (algae / cyanobacteria) LC50 24.2-63.4 mg/l/86h (algae / cyanobacteria) GT6-37-8 butane, pure 10.000 mg/l/24h (aquatic invertebrates) EC50 7.7-19.4 mg/l/96h (lish) LC50 14.2-69.4 mg/l/86h (algae / cyanobacteria) GT6-30 propan-2-01 10.000 mg/l/24h (aquatic invertebrates) EC50 10.000 mg/l/24h (aquatic invertebrates) EC50 10.000 mg/l/24h (aquatic invertebrates) EC50		(Contd. of page 6)
EL50 13 mg/l/96h (a/gae / cyanobacteria) EL50 4.6-10 mg/l/48h (aquatic invertebrates) 10-30 mg/l/48h (aquatic invertebrates) 10-30 mg/l/24h (aquatic invertebrates) 10-30 mg/l/24h (aquatic invertebrates) EL50 10-30 mg/l/24h (aquatic invertebrates) EL0 10 mg/l/24h (aquatic invertebrates) NOEC 0.17 mg/l/21d (aquatic invertebrates) NOELR 0.574 mg/l/26d (fish) NOELR 0.574 mg/l/26d (aquatic invertebrates) NOELR 0.32 mg/kg/l8d (aquatic invertebrates) NOELR 0.32 mg/kg/l8d (aquatic invertebrates) IL0EC 0.32 mg/kg/l8d (aquatic invertebrates) IL0EC 0.42 mg/l48h (aquatic invertebrates) IL0EC 0.42 mg/l48h (aquatic invertebrates) IL050 14.2-69.4 mg/l48h (aquatic invertebrates) EC50 7.7-19.4 mg/l48h (aquatic invertebrates) EC50 10.000 mg/l24h (aquatic	LL50	30-100 mg/l/24h (fish)
EL50 4.6-10 mg/l/48h (aquatic invertebrates) 10-30 mg/l/24h (algae / cyanobacteria) EL50 10-22 mg/l/24h (algae / cyanobacteria) EL50 10-30 mg/l/24h (algae / cyanobacteria) EL50 10-30 mg/l/24h (algae / cyanobacteria) EL0 1.6 mg/l/24h (aquatic invertebrates) FL0 1.0 mg/l/24h (aquatic invertebrates) NOEC 0.17 mg/l/21d (aquatic invertebrates) NOELR 1.mg/l/21d (aquatic invertebrates) NOELR 1.mg/l/24h (aquatic invertebrates) NOELR 0.32 mg/kg/28d (aquatic invertebrates) NOELR 6.3 mg/l/96h (algae / cyanobacteria) LOEC 0.32 mg/kg/28d (aquatic invertebrates) T06-97-8 butane, pure 106-97-8 butane, pure LC50 14.2-69.4 mg/l/96h (algae / cyanobacteria) GC50 7.7-19.4 mg/l/96h (algae / cyanobacteria) GC50 10.000 mg/l/24h (aquatic invertebrates) EC50 10.000 mg/l/24h (aquatic invertebrates) EC50 10.000 mg/l/24h (aquatic invertebrates) EBioaccumulative potential Hydrocarbons, C7-C9, n-atkanes, isoalkanes, cyclics Biodegradability 98 % (280) (Biodegradability) (OECD 301 F) T06-97-8 butane, pure	LLO	3 mg/l/96h (fish)
10-30 mg/l/48h (algae / cyanobacteria) EL50 10-22 mg/l/24h (aquatic invertebrates) 10-30 mg/l/24h (algae / cyanobacteria) EL50 10-30 mg/l/24h (algae / cyanobacteria) EL50 10-30 mg/l/24h (algae / cyanobacteria) EL0 10 mg/l/24h (algae / cyanobacteria) EL0 10 mg/l/24h (aquatic invertebrates) NOELR 0.574 mg/l/21d (aquatic invertebrates) NOELR 0.574 mg/l/21d (aquatic invertebrates) NOELR 0.532 mg/l/224d (aquatic invertebrates) NOELR 0.32 mg/l/g/28d (aquatic invertebrates) 106-97-8 butane, pure 12650 12650 24.1-147.5 mg/l/96h (fish) LC50 24.1-147.5 mg/l/96h (fish) LC50 24.1-147.5 mg/l/96h (fish) LC50 1.2-69.4 mg/l/86h (algae / cyanobacteria) 67-63-0 propan-2-of 10.000 mg/l/24h (aquatic invertebrates) EC50 1.0.000 mg/l/24h (aquatic invertebrates) EC50 10.000 mg/l/24h (EL50	13 mg/l/96h (algae / cyanobacteria)
EL50 10-22 mg/l/24h (aquatic invertebrates) 10-30 mg/l/24h (aquatic invertebrates) EL0 10-30 mg/l/24h (aquatic invertebrates) EL0 10-30 mg/l/24h (aquatic invertebrates) EL0 10 mg/l/24h (aquatic invertebrates) NOEC 0.17 mg/l/21d (aquatic invertebrates) NOELR 0.574 mg/l/28d (fish) NOELR 1.574 mg/l/28d (fish) NOELR 0.574 mg/l/28d (fish) NOELR 0.32 mg/l/296h (algae / cyanobacteria) LOEC 0.32 mg/l/296h (fish) LOEC 0.32 mg/l/296h (fish) LC50 24.1-147.5 mg/l/96h (fish) LC50 14.2-69.4 mg/l/48h (aquatic invertebrates) EC50 7.7-19.4 mg/l/96h (fish) LC50 10.000 mg/l/24h (aquatic invertebrates) EC50 10.000 mg/l/24h (aquatic invertebrates) Persistence and degradability No further relevant information available. Behaviour in environmental systems: Biodegradability 98 % (28d) (Biodegradability) (OECD 301 F) 106-97-8 butane, pure Partition coefficient 1.09-2.8 [] (log Kow) (Bioaccumulation) Biodegradability 98 % (28d) (Biodegradability) (CUCD 301 F) <	EL50	4.6-10 mg/l/48h (aquatic invertebrates)
10-30 mg/l/24h (algae / cyanobacteria) EL50 10-30 mg/l/72h (algae / cyanobacteria) EL0 1.6 mg/l/24h (aquatic invertebrates) NOEC 0.17 mg/l/24h (aquatic invertebrates) NOELR 0.574 mg/l/28d (fish) NOELR 0.574 mg/l/28d (aquatic invertebrates) NOELR 0.32 mg/kg/l28d (aquatic invertebrates) IOE-97-8 butane, pure 106-97-8 butane, pure LC50 24.1-147.5 mg/l/96h (fish) LC50 14.2-69.4 mg/l/96h (algae / cyanobacteria) G7-63-0 propan-2-01 10.000 mg/l/24h (aquatic invertebrates) LC50 9.64-10 mg/l/96h (fish) LC50 10.000 mg/l/24h (aquatic invertebrates) Persistence and degradability to further relevant information available. Behaviour in environmental systems: Bioaccumulative potential Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics Biodegradability 98 % (280) (Biodegradability) (CECD 301 F) 106-97-8 butane, pure Partition coefficient 1.09-2.8 [] (10-30 mg/l/48h (algae / cyanobacteria)
EL50 10-30 mg/l/72h (algae / cyanobacteria) EL0 4.6 mg/l/48h (aquatic invertebrates) EL0 10 mg/l/24h (aquatic invertebrates) NOEC 0.17 mg/l/21d (aquatic invertebrates) NOELR 0.574 mg/l/28d (fish) NOELR 1 mg/l/21d (aquatic invertebrates) NOELR 1 mg/l/21d (aquatic invertebrates) NOELR 0.32 mg/kg/28d (aquatic invertebrates) IO607-8 butane, pure 10-200 IC50 24.1-147.5 mg/l/96h (fish) LC50 14.2-69.4 mg/l/96h (algae / cyanobacteria) G7-63-0 propan-2-01 14.2-69.4 mg/l/96h (fish) LC50 1.4.2-69.4 mg/l/96h (fish) LC50 1.4.2-69.4 mg/l/96h (algae / cyanobacteria) G7-63-0 propan-2-01 14.2-69.4 mg/l/96h (fish) LC50 10.000 mg/l/24h (aquatic invertebrates) EC50 10.000 mg/l/24h (aquatic invertebrates) Persistence and degradability No further relevant information available. Behaviour in environmental systems: Bioaccumulative potential Hydrocarbons, C7-C9, n-alKanes, isoalkanes, cyclics Biodegradability 98 % (28d) (Biodegradability) (OECD 301 F) 106-97-8 butane, pure	EL50	10-22 mg/l/24h (aquatic invertebrates)
EL0 4.6 mg/l/48h (aquatic invertebrates) EL0 10 mg/l/24h (aquatic invertebrates) NOEC 0.17 mg/l/21d (aquatic invertebrates) NOELR 0.574 mg/l/28d (fish) NOELR 1 mg/l/21d (aquatic invertebrates) NOELR 6.3 mg/l/96h (algae / cyanobacteria) LOEC 0.32 mg/kg/28d (aquatic invertebrates) NOELR 6.3 mg/l/96h (algae / cyanobacteria) LOEC 0.32 mg/kg/28d (aquatic invertebrates) T06-97-8 butane, pure 14.2-69.4 mg/l/96h (fish) LC50 14.2-69.4 mg/l/96h (algae / cyanobacteria) 67-63-0 propan-2-ol 14.2-69.4 mg/l/96h (fish) LC50 1.4.2-69.4 mg/l/96h (fish) LC50 1.4.2-69.4 mg/l/96h (fish) LC50 1.4.2-69.4 mg/l/96h (fish) LC50 1.4.2-69.4 mg/l/96h (fish) LC50 1.0.000 mg/l/24h (aquatic invertebrates) EC50 10.000 mg/l/24h (aquatic invertebrates) EC50 10.000 mg/l/24h (aquatic invertebrates) Persistence and degradability No further relevant information available. Behaviour in environmental systems: Biodegradability 98 % (28d) (Biodegradability) (OECD 301 F) 106-97-8 butane, pure <td></td> <td>10-30 mg/l/24h (algae / cyanobacteria)</td>		10-30 mg/l/24h (algae / cyanobacteria)
EL0 10 mg/l/24h (aquatic invertebrates) NOEC 0.17 mg/l/21d (aquatic invertebrates) NOELR 0.574 mg/l/28d (itsh) NOELR 6.3 mg/l/26d (algae / cyanobacteria) LOEC 0.32 mg/kg/28d (aquatic invertebrates) NOELR 6.3 mg/l/26h (algae / cyanobacteria) LOEC 0.32 mg/kg/28d (aquatic invertebrates) T06-97-8 butane, pure 10 mg/l/26h (fish) LC50 24.1-147.5 mg/l/96h (algae / cyanobacteria) G7-63-0 propan-2-0 10.000 mg/l/24h (aquatic invertebrates) EC50 7.7-19.4 mg/l/96h (fish) LC50 9.64-10 mg/l/96h (fish) LC50 10.000 mg/l/24h (aquatic invertebrates) EC50 10.000 mg/l/24h (aquatic invertebrates) EC50 10.000 mg/l/24h (aquatic invertebrates) Behaviour in environmental systems: Bioaccumulative potential Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics Biodegradability Biodegradability 98 % (28d) (Biodegradability) (OECD 301 F) 10-697-8 butane, pure Partition coefficient Partition coefficient 1.09-2.8 [] (log Kow) (Bioaccumulation) Biodegradability >70 % (28d) (Biodegradability) (EU Method C.5)	EL50	10-30 mg/l/72h (algae / cyanobacteria)
NOEC 0.17 mg/l/21d (aquatic invertebrates) NOELR 0.574 mg/l/28d (fish) NOELR 1 mg/l/21d (aquatic invertebrates) NOELR 6.3 mg/l/96h (algae / cyanobacteria) LOEC 0.32 mg/kg/28d (aquatic invertebrates) 106-97-8 butane, pure 106-97-8 butane, pure LC50 24.1-147.5 mg/l/96h (fish) LC50 14.2-69.4 mg/l/96h (algae / cyanobacteria) 67-63-0 propan-2-0 10.000 mg/l/24h (aquatic invertebrates) LC50 9.64-10 mg/l/96h (fish) LC50 10.000 mg/l/24h (aquatic invertebrates) EC50 10.000 mg/l/24h (aquatic invertebrates) EC50 10.000 mg/l/24h (aquatic invertebrates) Persistence and degradability No further relevant information available. Behaviour in environmental systems: Bioaccumulative potential Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics Biodegradability 98 % (28d) (Biodegradability) (OECD 301 F) 106-97-8 butane, pure Partition coefficient 1.09-2.8 [] (log Kow) (Bioaccumulation) 67-63-0 propan-2-0I Partition coefficient 1.09-2.8 [] (log Kow) (Bioaccumulation) Biodegradability >70 % (22d) (Biodegradability)	EL0	4.6 mg/l/48h (aquatic invertebrates)
NOELR 0.574 mg/l/28d (fish) NOELR 1 mg/l/21d (aquatic invertebrates) NOELR 6.3 mg/l/96h (algae / cyanobacteria) LOEC 0.32 mg/kg/28d (aquatic invertebrates) 106-97-8 butane, pure	EL0	10 mg/l/24h (aquatic invertebrates)
NOELR 1 mg/l/21d (aquatic invertebrates) NOELR 6.3 mg/l/96h (algae / cyanobacteria) LOEC 0.32 mg/kg/28d (aquatic invertebrates) 106-97-8 butane, pure 106-97-8 butane, pure LC50 24.1-147.5 mg/l/96h (fish) LC50 14.2-69.4 mg/l/48h (aquatic invertebrates) EC50 7.7-19.4 mg/l/96h (fish) LC50 9.64-10 mg/l/96h (fish) LC50 9.64-10 mg/l/96h (fish) LC50 10,000 mg/l/24h (aquatic invertebrates) EC50 10,000 mg/l/24h (aquatic invertebrates) EC50 10,000 mg/l/24h (aquatic invertebrates) Persistence and degradability No further relevant information available. Behaviour in environmental systems: Bioaccumulative potential Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics Biodegradability 98 % (28d) (Biodegradability) (OECD 301 F) 106-97-8 butane, pure Partition coefficient 1.09-2.8 [] (log Kow) (Bioaccumulation) 67-63-0 propan-2-ol Partition coefficient 0.05 [] (log Kow) (Bioaccumulation) Biodegradability >70 % (28d) (Biodegradability) (EU Method C.5) Mobility in soil No further relevant information available. <td>NOEC</td> <td>0.17 mg/l/21d (aquatic invertebrates)</td>	NOEC	0.17 mg/l/21d (aquatic invertebrates)
NOELR 6.3 mg/l/96h (algae / cyanobacteria) LOEC 0.32 mg/kg/28d (aquatic invertebrates) 106-97-8 butane, pure LC50 24.1-147.5 mg/l/96h (fish) LC50 14.2-69.4 mg/l/48h (aquatic invertebrates) EC50 7.7-19.4 mg/l/96h (fish) LC50 9.64-10 mg/l/96h (fish) LC50 9.64-10 mg/l/96h (fish) LC50 9.64-10 mg/l/96h (fish) LC50 10,000 mg/l/24h (aquatic invertebrates) EC50 10,000 mg/l/24h (aquatic invertebrates) EC50 10,000 mg/l/24h (aquatic invertebrates) Persistence and degradability No further relevant information available. Behaviour in environmental systems: Bioaccumulative potential Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics Biodegradability 98 % (28d) (Biodegradability) (OECD 301 F) 106-97-8 butane, pure Partition coefficient 1.09-2.8 [] (log Kow) (Bioaccumulation) 67-63-0 propan-2-ol Partition coefficient 0.05 [] (log Kow) (Bioaccumulation) Biodegradability >70 % (28d) (Biodegradability) (EU Method C.5) Mobility in soil No further relevant information available. Additional ecological inform	NOELR	0.574 mg/l/28d (fish)
LOEC 0.32 mg/kg/28d (aquatic invertebrates) 106-97-8 butane, pure LC50 24.1-147.5 mg/l/96h (fish) LC50 14.2-69.4 mg/l/48h (aquatic invertebrates) EC50 7.7-19.4 mg/l/96h (algae / cyanobacteria) 67-63-0 propan-2-ol LC50 9.64-10 mg/l/96h (fish) LC50 9.64-10 mg/l/24h (aquatic invertebrates) LC50 10.000 mg/l/24h (aquatic invertebrates) EC50 10.000 mg/l/24h (aquatic invertebrates) Persistence and degradability No further relevant information available. Behaviour in environmental systems: Bioaccumulative potential Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics Biodegradability 98 % (28d) (Biodegradability) (OECD 301 F) 106-97-8 butane, pure Partition coefficient 1.09-2.8 [] (log Kow) (Bioaccumulation) Biodegradability >70 % (28d) (Biodegradability) (EU Method C.5) Mobility in soil No further relevant information available. Additional ecological information: General notes: Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.	NOELR	1 mg/l/21d (aquatic invertebrates)
106-97-8 butane, pure LC50 24.1-147.5 mg/l/96h (fish) LC50 14.2-69.4 mg/l/48h (aquatic invertebrates) EC50 7.7-19.4 mg/l/96h (algae / cyanobacteria) 67-63-0 propan-2-ol 10.000 mg/l/24h (aquatic invertebrates) LC50 9.64-10 mg/l/96h (fish) LC50 10,000 mg/l/24h (aquatic invertebrates) EC50 10,000 mg/l/24h (aquatic invertebrates) EC50 10,000 mg/l/24h (aquatic invertebrates) Persistence and degradability No further relevant information available. Behaviour in environmental systems: Bioaccumulative potential Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics Biodegradability 98 % (28d) (Biodegradability) (OECD 301 F) 106-97-8 butane, pure Partition coefficient 1.09-2.8 [] (log Kow) (Bioaccumulation) 67-63-0 propan-2-ol Partition coefficient 0.05 [] (log Kow) (Bioaccumulation) Siodegradability >70 % (28d) (Biodegradability) (EU Method C.5) • Mobility in soil No further relevant information available. • Additional ecological information: • General notes: Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do	NOELR	6.3 mg/l/96h (algae / cyanobacteria)
LC50 24.1-147.5 mg/l/96h (fish) LC50 14.2-69.4 mg/l/48h (aquatic invertebrates) EC50 7.7-19.4 mg/l/96h (algae / cyanobacteria) 67-63-0 propan-2-ol 10,000 mg/l/24h (aquatic invertebrates) LC50 9.64-10 mg/l/96h (fish) LC50 10,000 mg/l/24h (aquatic invertebrates) EC50 10,000 mg/l/24h (aquatic invertebrates) Persistence and degradability No further relevant information available. Behaviour in environmental systems: Bioaccumulative potential Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics Biodegradability 98 % (28d) (Biodegradability) (OECD 301 F) 106-97-8 butane, pure Partition coefficient 1.09-2.8 [] (log Kow) (Bioaccumulation) 67-63-0 propan-2-ol Partition coefficient 0.05 [] (log Kow) (Bioaccumulation) Biodegradability >70 % (28d) (Biodegradability) (EU Method C.5) • Mobility in soil No further relevant information available. • Additional ecological information: • General notes: Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • Result	LOEC	0.32 mg/kg/28d (aquatic invertebrates)
LC50 14.2-69.4 mg/l/48h (aquatic invertebrates) EC50 7.7-19.4 mg/l/96h (algae / cyanobacteria) 67-63-0 propan-2-ol LC50 9.64-10 mg/l/96h (fish) LC50 10,000 mg/l/24h (aquatic invertebrates) EC50 10,000 mg/l/24h (aquatic invertebrates) FC50 10,000 mg/l/24h (aquatic invertebrates) Persistence and degradability No further relevant information available. Behaviour in environmental systems: Bioaccumulative potential Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics Biodegradability 98 % (28d) (Biodegradability) (OECD 301 F) 106-97-8 butane, pure Partition coefficient 1.09-2.8 [] (log Kow) (Bioaccumulation) 67-63-0 propan-2-ol Partition coefficient 0.05 [] (log Kow) (Bioaccumulation) Biodegradability >70 % (28d) (Biodegradability) (EU Method C.5) Mobility in soil No further relevant information available. Additional ecological information: General notes: Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Results of PBT and vPvB assessment PBT: Not applicable.	106-97-8	3 butane, pure
EC50 7.7-19.4 mg//96h (algae / cyanobacteria) 67-63-0 propan-2-ol LC50 9.64-10 mg//96h (fish) LC50 10,000 mg//24h (aquatic invertebrates) EC50 10,000 mg//24h (aquatic invertebrates) Persistence and degradability No further relevant information available. Behaviour in environmental systems: Bioaccumulative potential Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics Biodegradability 98 % (28d) (Biodegradability) (OECD 301 F) 106-97-8 butane, pure Partition coefficient 1.09-2.8 [] (log Kow) (Bioaccumulation) 67-63-0 propan-2-ol Partition coefficient 0.05 [] (log Kow) (Bioaccumulation) Biodegradability >70 % (28d) (Biodegradability) (EU Method C.5) Mobility in soil No further relevant information available. Additional ecological information: General notes: Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.	LC50	24.1-147.5 mg/l/96h (fish)
67-63-0 propan-2-ol LC50 9.64-10 mg/l/96h (fish) LC50 10,000 mg/l/24h (aquatic invertebrates) EC50 10,000 mg/l/24h (aquatic invertebrates) Persistence and degradability No further relevant information available. Behaviour in environmental systems: Bioaccumulative potential Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics Biodegradability 98 % (28d) (Biodegradability) (OECD 301 F) 106-97-8 butane, pure Partition coefficient 1.09-2.8 [] (log Kow) (Bioaccumulation) 67-63-0 propan-2-ol Partition coefficient 0.05 [] (log Kow) (Bioaccumulation) Biodegradability >70 % (28d) (Biodegradability) (EU Method C.5) Mobility in soil No further relevant information available. Additional ecological information: General notes: Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Results of PBT and vPvB assessment PBT: Not applicable.	LC50	14.2-69.4 mg/l/48h (aquatic invertebrates)
LC50 9.64-10 mg/l/96h (fish) LC50 10,000 mg/l/24h (aquatic invertebrates) EC50 10,000 mg/l/24h (aquatic invertebrates) • Persistence and degradability No further relevant information available. • Behaviour in environmental systems: • Bioaccumulative potential Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics Biodegradability 98 % (28d) (Biodegradability) (OECD 301 F) 106-97-8 butane, pure Partition coefficient 1.09-2.8 [] (log Kow) (Bioaccumulation) 67-63-0 propan-2-ol Partition coefficient 0.05 [] (log Kow) (Bioaccumulation) Biodegradability >70 % (28d) (Biodegradability) (EU Method C.5) • Mobility in soil No further relevant information available. • Additional ecological information: • General notes: Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • Results of PBT and vPvB assessment • PBT: Not applicable.	EC50	7.7-19.4 mg/l/96h (algae / cyanobacteria)
LC50 10,000 mg/l/24h (aquatic invertebrates) EC50 10,000 mg/l/24h (aquatic invertebrates) • Persistence and degradability No further relevant information available. Behaviour in environmental systems: • Bioaccumulative potential Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics Biodegradability 98 % (28d) (Biodegradability) (OECD 301 F) 106-97-8 butane, pure Partition coefficient 1.09-2.8 [] (log Kow) (Bioaccumulation) 67-63-0 propan-2-ol Partition coefficient 0.05 [] (log Kow) (Bioaccumulation) Biodegradability >70 % (28d) (Biodegradability) (EU Method C.5) • Mobility in soil No further relevant information available. • Additional ecological information: • General notes: Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable.	67-63-0	propan-2-ol
EC50 10,000 mg/l/24h (aquatic invertebrates) • Persistence and degradability No further relevant information available. • Behaviour in environmental systems: • Bioaccumulative potential Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics Biodegradability 98 % (28d) (Biodegradability) (OECD 301 F) 106-97-8 butane, pure Partition coefficient 1.09-2.8 [] (log Kow) (Bioaccumulation) 67-63-0 propan-2-ol Partition coefficient 0.05 [] (log Kow) (Bioaccumulation) Biodegradability >70 % (28d) (Biodegradability) (EU Method C.5) • Mobility in soil No further relevant information available. • Additional ecological information: • General notes: Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable.	LC50	9.64-10 mg/l/96h (fish)
Persistence and degradability No further relevant information available. Behaviour in environmental systems: Bioaccumulative potential Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics Biodegradability 98 % (28d) (Biodegradability) (OECD 301 F) 106-97-8 butane, pure Partition coefficient 1.09-2.8 [] (log Kow) (Bioaccumulation) 67-63-0 propan-2-ol Partition coefficient 0.05 [] (log Kow) (Bioaccumulation) Biodegradability >70 % (28d) (Biodegradability) (EU Method C.5) • Mobility in soil No further relevant information available. • Additional ecological information: • General notes: Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable.	LC50	10,000 mg/l/24h (aquatic invertebrates)
 Behaviour in environmental systems: Bioaccumulative potential Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics Biodegradability 98 % (28d) (Biodegradability) (OECD 301 F) 106-97-8 butane, pure Partition coefficient 1.09-2.8 [] (log Kow) (Bioaccumulation) 67-63-0 propan-2-ol Partition coefficient 0.05 [] (log Kow) (Bioaccumulation) Biodegradability >70 % (28d) (Biodegradability) (EU Method C.5) Mobility in soil No further relevant information available. Additional ecological information: General notes: Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course of sewage system. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 	EC50	10,000 mg/l/24h (aquatic invertebrates)
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics Biodegradability 98 % (28d) (Biodegradability) (OECD 301 F) 106-97-8 butane, pure Partition coefficient 1.09-2.8 [] (log Kow) (Bioaccumulation) 67-63-0 propan-2-ol Partition coefficient 0.05 [] (log Kow) (Bioaccumulation) Biodegradability >70 % (28d) (Biodegradability) (EU Method C.5) • Mobility in soil No further relevant information available. • Additional ecological information: • General notes: Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable.		
Biodegradability 98 % (28d) (Biodegradability) (OECD 301 F) 106-97-8 butane, pure Partition coefficient 1.09-2.8 [] (log Kow) (Bioaccumulation) 67-63-0 propan-2-ol Partition coefficient 0.05 [] (log Kow) (Bioaccumulation) Biodegradability >70 % (28d) (Biodegradability) (EU Method C.5) • Mobility in soil No further relevant information available. • Additional ecological information: • General notes: Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable.	·Bioaccu	Imulative potential
106-97-8 butane, pure Partition coefficient 1.09-2.8 [] (log Kow) (Bioaccumulation) 67-63-0 propan-2-ol Partition coefficient 0.05 [] (log Kow) (Bioaccumulation) Biodegradability >70 % (28d) (Biodegradability) (EU Method C.5) • Mobility in soil No further relevant information available. • Additional ecological information: • General notes: Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable.	Hydroca	arbons, C7-C9, n-alkanes, isoalkanes, cyclics
Partition coefficient 1.09-2.8 [] (log Kow) (Bioaccumulation) 67-63-0 propan-2-ol Partition coefficient 0.05 [] (log Kow) (Bioaccumulation) Biodegradability >70 % (28d) (Biodegradability) (EU Method C.5) • Mobility in soil No further relevant information available. • Additional ecological information: • General notes: Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course of sewage system. • Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable.	Biodegra	adability 98 % (28d) (Biodegradability) (OECD 301 F)
67-63-0 propan-2-ol Partition coefficient 0.05 [] (log Kow) (Bioaccumulation) Biodegradability >70 % (28d) (Biodegradability) (EU Method C.5) • Mobility in soil No further relevant information available. • Additional ecological information: • General notes: Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course of sewage system. • Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable.	106-97-8	3 butane, pure
Partition coefficient 0.05 [] (log Kow) (Bioaccumulation) Biodegradability >70 % (28d) (Biodegradability) (EU Method C.5) • Mobility in soil No further relevant information available. • Additional ecological information: • General notes: Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course of sewage system. • Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable.	Partition	coefficient 1.09-2.8 [] (log Kow) (Bioaccumulation)
Biodegradability >70 % (28d) (Biodegradability) (EU Method C.5) • Mobility in soil No further relevant information available. • Additional ecological information: • General notes: Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course of sewage system. • Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable.	67-63-0	propan-2-ol
 Mobility in soil No further relevant information available. Additional ecological information: General notes: Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course of sewage system. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 	Partition	coefficient 0.05 [] (log Kow) (Bioaccumulation)
 Additional ecological information: General notes: Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course of sewage system. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 	Biodegra	adability >70 % (28d) (Biodegradability) (EU Method C.5)
	 Addition General Water had Do not a sewage Results PBT: Not 	nal ecological information: I notes: azard class 1 (according to Appendix 1 AwSV): slightly hazardous for water allow undiluted product or large quantities of it to reach ground water, water course of system. of PBT and vPvB assessment of applicable.

(Contd. on page 8)

Printing date 29.01.2024

Version number 3.3



Trade name: CHAIN CLEAN DEGREASER SPRAY

(Contd. of page 7)

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.


Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

· Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.

Discharged containers can contain flammable or explosive vapours.





Printing date 29.01.2024

Version number 3.3

Trade name: CHAIN CLEAN DEGREASER SPRAY

	(Contd. of page 8
 Environmental hazards: Marine pollutant: Special marking (ADG): 	Product contains environmentally hazardous substances: Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics Yes Symbol (fish and tree) Symbol (fish and tree)
 Special precautions for user Hazard identification number (Kemler code EMS Number: Stowage Code Segregation Code 	Warning: Gases.
 Transport in bulk according to Annex II of Marpol and the IBC Code 	Not applicable.
· Transport/Additional information:	
 ADG Limited quantities (LQ) Excepted quantities (EQ) Transport category 	1L Code: E0 Not permitted as Excepted Quantity 2
Tunnel restriction code	D
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E0 Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian	Inventory of Industrial Chemicals
106-97-8	butane, pure
67-63-0	propan-2-ol
74-98-6	propane
75-28-5	isobutane
78-78-4	isopentane
	(Contd. on page 10)
	AL



Printing date 29.01.2024

Version number 3.3

Trade name: CHAIN CLEAN DEGREASER SPRAY

		(Contd. of page 9)
84-66-2	diethyl phthalate	
1222-05-5	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	
88-41-5	2-tert-Butylcyclohexyl acetate	
104-67-6	5-heptyloxolan-2-one	
40379-24-6	S Isononyl acetate (isomer unspecified)	
1191-16-8	3-Methyl-2-butenyl acetate	
123-68-2	P Allyl caproate	
· Standard f	or the Uniform Scheduling of Medicines and Poisons	
84-66-2 0	liethyl phthalate	S10
123-68-2	Nlyl caproate	S6

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category

P3a FLAMMABLE AEROSOLS

E2 Hazardous to the Aquatic Environment

 \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t

• Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

· Chemical safety assessment: A Chemical Safety Assessment has been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

purity requirement

· Relevant phrases

H220 Extremely flammable gas. H225 Highly flammable liquid and vapour. H280 Contains gas under pressure; may explode if heated. H304 May be fatal if swallowed and enters airways. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

Department issuing SDS: Abteilung Produktsicherheit

· Contact:

 Abbreviations and acronyms: Flam. Gas 1: Flammable gases - Category 1 Aerosol 1: Aerosols - Category 1 Press. Gas C: Gases under pressure – Compressed gas Flam. Liq. 2: Flammable liquids - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Serious eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Asp. Tox. 1: Aspiration hazard - Category 1 * Data compared to the previous version altered.