MOTOREX\*
Oil of Switzerland

Revision: 30.01,2024

Printing date 30.01.2024

Version number 3.1

#### 1 Identification

· Product identifier

· Trade name: FETT 2000

· Article number: YMD690201730

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture

Grease

Only for proper handling.

· Details of the supplier of the safety data sheet

Manufacturer/Supplier:

**MOTOREX AG** 

Bern-Zürich-Strasse 31, Postfach

CH-4901 Langenthal Tel. +41 (0)62 919 75 75

www.motorex.com

A1 Accessory Imports

60-62 Burchill St.

Loganholme

4129 QLD

Australia

Phone: 07 3451 1300

· Further information obtainable from: msds@motorex.com

Emergency telephone number:

In case of a medical emergency following exposure to a chemical, call Poisons Information Centre Australia 13 11 26

#### 2 Hazard(s) Identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonised System (GHS).

- · Label elements
- GHS label elements Void
- Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

#### 3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

<ul> <li>Dangerous componen</li> </ul>	its:	:
--	------	---

CAS: 68457-79-4 Phosphorus dithionic acid, mixed O, O-bis (isobutyl and pentyl) ester, 1 zinc salts

Eye Dam. 1, H318; Skin Irrit. 2, H315

(Contd. on page 2)

MOTOREX\*
Oil of Switzerland
Revision: 30.01.2024

Printing date 30.01.2024 Version number 3.1

Trade name: FETT 2000

(Contd. of page 1)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### 4 First Aid Measures

- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Remove contaminated clothing immediately.

Remove residues with soap and water.

- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Do not induce vomitting. Do not take in resorption stimulating agents.

Consult a physician who will decide on need and method of emptying the stomach.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire Fighting Measures

- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: DO NOT USE WATER JET
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

#### 6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and Storage

- Handling:
- · Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

The recommended storage temperature is (deg.C): ≤ 50°C

Store containers closed and protect against rain, dust, heat and other atmospheric influences.

- · Storage class: 11
- · Specific end use(s) No further relevant information available.

٩U -

MOTOREX Oil of Switzerland
Revision: 30.01.2024

Printing date 30.01.2024 Version number 3.1

Trade name: FETT 2000

· DNELs

(Contd. of page 2)

### 8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

68457-79-4 Phosphorus dithionic acid, mixed O, O-bis (isobutyl and pentyl) ester, zinc salts				
Oral	Oral DNEL/general population/Systemic effects/Long-term 0.24 mg/kg/24h (consumer)			
Dermal   DNEL / Workers / Systemic effects / Long-term   11.87 mg/kg/24h (worker)			11.87 mg/kg/24h (worker)	
	DNEL/general population/Systemic effects/Long-term		5.93 mg/kg/24h (consumer)	
Inhalative	DNEL / Workers / Systemic effects / Long-term		8.13 mg/m3 (worker)	
	DNEL/general population/Systemic effects/Long-term		2.06 mg/m3 (consumer)	
· PNECs				
68457-79	-4 Phosphorus dithionic acid, mixed O,	O-bis (isobu	ıtyl and pentyl) ester, zinc salts	
Oral PNE	Oral PNEC / Predators / Secondary poisoning		10.67 mg/kg food (secondary poisoning (predators))	
PNE	C / Aquatic organisms / Freshwater	0.004 mg/l (aquatic organisms)		
PNE	C / Aquatic organisms / Marine water	0.0046 mg/l	(aquatic organisms)	
	plant/STP PNEC / Aquatic organisms / Sediment 0.0244 mg/kg (freshwater) PNEC / Aquatic organisms / Sediment 0.00244 mg/kg (marine water)		uatic organisms)	
			g (aquatic organisms)	
			kg (aquatic organisms)	
PNE			kg (terrestrial organisms)	

- Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

· Respiratory protection:

Not necessary if room is well-ventilated.

Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Not required.
- · Body protection: Protective work clothing

- Al



Printing date 30.01.2024 Version number 3.1 Revision: 30.01.2024

Trade name: FETT 2000

(Contd. of page 3)

#### 9 Physical and Chemical Properties

· General Information

· Appearance:

Form: PastyColour: GreenOdour: weak

· Odour threshold: Not determined. · pH-value: Not applicable.

· Change in condition

· Melting point/freezing point: >150 °C

· Initial boiling point and boiling range: >250 °C (DIN EN ISO 3405)

• Drip point: 150 °C • Flash point: >200 °C

Flammability (solid, gas): Not determined.Decomposition temperature: Not determined.

· Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.
Upper: Not determined.
Vapour pressure: Not applicable.

• **Density at 20 °C:** 0.93 g/cm³ (ASTM D 4052)

Relative density
 Vapour density
 Evaporation rate
 Not determined.
 Not applicable.

· Solubility in / Miscibility with

water: Insoluble.
Partition coefficient: n-octanol/water: Not determined.

Viscosity: NLGI 2
Dynamic: Not applicable.
Kinematic: Not applicable.

· Other information No further relevant information available.

### 10 Stability and Reactivity

- · Reactivity No further relevant information available.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:				
68457-7	79-4 Pho	sphorus dithionic acid, mixed O, O-bis (isobutyl and pentyl) ester, zinc salts		
Oral	LD50	3,600 mg/kg (rat)		
	NOEL	40 mg/kg/24h (rat)	l	
	NOAEL	160 mg/kg/24h (rat)	l	
Dermal	LD50	20,000 ml/kg (rabbit)	l	

(Contd. on page 5)

MOTOREX\*
Oil of Switzerland
Revision: 30.01.2024

Printing date 30.01.2024 Version number 3.1

Trade name: FETT 2000

(Contd. of page 4)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### 12 Ecological Information

· Toxicity

· Aquatic	· Aquatic toxicity:		
68457-7	9-4 Phosphorus dithionic acid, mixed O, O-bis (isobutyl and pentyl) ester, zinc salts		
LC50	46 mg/l/96h (fish)		
EC50	10,000 mg/l/3h (microorganisms)		
LL50	4.5 mg/l/96h (fish)		
EL50	23 mg/l/48h (aquatic invertebrates)		
EL50	21-24 mg/l/72h (algae / cyanobacteria)		
NOEC	0.4-0.8 mg/l/21d (aquatic invertebrates)		
NOELR	1.8 mg/l/96h (fish)		
NOELR	10 mg/l/48h (aquatic invertebrates)		
LOEC	0.8 mg/kg/28d (aquatic invertebrates)		

- · Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- · Bioaccumulative potential

68457-79-4 Phosphorus dithionic acid, mixed O, O-bis (isobutyl and pentyl) ester, zinc salts

Partition coefficient 0.69 [---] (log Kow) (Bioaccumulation)

- Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes:

Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

(Contd. on page 6)

MOTOREX\*
Oil of Switzerland

Revision: 30.01.2024

Printing date 30.01.2024 Version number 3.1

Trade name: FETT 2000

(Contd. of page 5)

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

Transport information	
· UN-Number · ADG, ADN, IMDG, IATA	Not classified as hazardous for transport
· UN proper shipping name · ADG, ADN, IMDG, IATA	Not classified as hazardous for transport
· Transport hazard class(es)	
· ADG, ADN, IMDG, IATA · Class	Not classified as hazardous for transport
· Packing group · ADG, IMDG, IATA	Not classified as hazardous for transport
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Ann Marpol and the IBC Code	<b>ex II of</b> Not applicable.
· UN "Model Regulation":	Not classified as hazardous for transport

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Australian Inventory of Industrial Chemicals

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · VOCV (CH) 0,00 %
- · Chemical safety assessment: A Chemical Safety Assessment has been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

- · purity requirement
- Relevant phrases

H315 Causes skin irritation.

(Contd. on page 7)

Revision: 30.01.2024

Printing date 30.01.2024

Version number 3.1

Trade name: FETT 2000

(Contd. of page 6)

H318 Causes serious eye damage.

- · Department issuing SDS: Abteilung Produktsicherheit
- Contact:
- · Abbreviations and acronyms:

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

\* Data compared to the previous version altered.