

# Safety Data Sheet

## according to WHS Regulations



Printing date 29.01.2024

Version number 2.3

Revision: 19.01.2024

### 1 Identification

- **Product identifier**
- **Trade name:** FOUR STROKE 4T SAE 10W/40 JASO MA2
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture**  
Only for proper handling.  
Engine oil
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
MOTOREX AG  
Bern-Zürich-Strasse 31, Postfach  
CH-4901 Langenthal  
Tel. +41 (0)62 919 75 75  
www.motorex.com  
  
A1 Accessory Imports  
60-62 Burchill St.  
Loganholme  
4129 QLD  
Australia  
Phone : 07 3451 1300
- **Further information obtainable from:** msds@motorex.com
- **Emergency telephone number:**  
In case of a medical emergency following exposure to a chemical, call Poisons Information Centre Australia 13 11 26

### 2 Hazard(s) Identification

- **Classification of the substance or mixture**  
The product is not classified, according to the Globally Harmonised System (GHS).
- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Precautionary statements**  
P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read label before use.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition and Information on Ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

	Mineral oils (mixture) Asp. Tox. 1, H304	≥10-≤25%
CAS: 72623-87-1 EINECS: 276-738-4 Index number: 649-483-00-5	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Asp. Tox. 1, H304	5-10%

(Contd. on page 2)

# Safety Data Sheet

## according to WHS Regulations



Printing date 29.01.2024

Version number 2.3

Revision: 19.01.2024

**Trade name: FOUR STROKE 4T SAE 10W/40 JASO MA2**

(Contd. of page 1)

**Additional information:**

Note L: The classification as carcinogen does not apply because the mixture (or substance) contains less than 3% dimethyl sulfoxide extract (DMSO), measured according to IP 346.  
For the wording of the listed hazard phrases refer to section 16.

### 4 First Aid Measures

- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire Fighting Measures

- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Protective equipment:** No special measures required.

### 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and Storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about fire - and explosion protection:** No special measures required.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
The recommended storage temperature is (deg.C): ≤50°C
- **Storage class:** 10
- **Specific end use(s)** No further relevant information available.

AU

(Contd. on page 3)

**Trade name: FOUR STROKE 4T SAE 10W/40 JASO MA2**

(Contd. of page 2)

## 8 Exposure controls and personal protection

- **Additional information about design of technical facilities:** No further data; see section 7.
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

### · DNELs

**72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based**

Inhalative	DNEL / Workers / Local Effects / Long-term	5.4 mg/m <sup>3</sup> /8h (worker)
	DNEL/general population/Local effects/Long-term	1.2 mg/m <sup>3</sup> /24h (consumer)

- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.  
Do not inhale gases / fumes / aerosols.
- **Respiratory protection:**  
Not necessary if room is well-ventilated.  
Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.
- **Protection of hands:**  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling
- **Body protection:** Protective work clothing

## 9 Physical and Chemical Properties

- **General Information**
- **Appearance:**
- **Form:** Fluid
- **Colour:** yellow brown
- **Odour:** Characteristic
- **Odour threshold:** Not determined.
- **pH-value:** Not determined.
- **Change in condition**
- **Melting point/freezing point:** Undetermined.
- **Initial boiling point and boiling range:** Undetermined.
- **Flash point:** >200 °C
- **Flammability (solid, gas):** Not applicable.
- **Decomposition temperature:** Not determined.
- **Explosive properties:** Product does not present an explosion hazard.
- **Explosion limits:**
- **Lower:** Not determined.
- **Upper:** Not determined.

(Contd. on page 4)

# Safety Data Sheet

according to WHS Regulations



Printing date 29.01.2024

Version number 2.3

Revision: 19.01.2024

**Trade name: FOUR STROKE 4T SAE 10W/40 JASO MA2**

(Contd. of page 3)

· <b>Vapour pressure:</b>	Not determined.
· <b>Density at 20 °C:</b>	0.866 g/cm <sup>3</sup> (ASTM D 4052)
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient: n-octanol/water:</b>	Not determined.
· <b>Viscosity:</b>	
· <b>Dynamic:</b>	Not determined.
· <b>Kinematic:</b>	95.8 mm <sup>2</sup> /s @ 40 °C
· <b>Solvent separation test:</b>	
· <b>VOC (EC)</b>	0.00 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

### · LD/LC50 values relevant for classification:

#### 72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

Oral	LD50	5,000 mg/kg (rat)
	LOAEL	125 mg/kg/24h (rat)
Dermal	LD50	2,000-5,000 mg/kg (rabbit)
	NOAEL	150 mg/kg/24h (mouse)
		30-2,000 mg/kg/24h (rat)
		1,000 mg/kg/24h (rabbit)
Inhalative	LOAEL	100 mg/kg/24h (mouse)
	LC50 / 4h	2.18-5.53 mg/l (rat)
	NOAEC	980 mg/m <sup>3</sup> (rat)
	NOEC	220 mg/m <sup>3</sup> (rat)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.

(Contd. on page 5)

# Safety Data Sheet

## according to WHS Regulations



Printing date 29.01.2024

Version number 2.3

Revision: 19.01.2024

**Trade name: FOUR STROKE 4T SAE 10W/40 JASO MA2**

(Contd. of page 4)

· **Aspiration hazard** Based on available data, the classification criteria are not met.

## 12 Ecological Information

· **Toxicity**

· **Aquatic toxicity:**

**72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based**

LL50 10,000 mg/l/96h (aquatic invertebrates)

100 mg/l/96h (fish)

LL50 10,000 mg/l/72h (aquatic invertebrates)

LL50 10,000 mg/l/48h (aquatic invertebrates)

LL50 10,000 mg/l/24h (aquatic invertebrates)

EL50 10,000 mg/l/48h (aquatic invertebrates)

· **Persistence and degradability** No further relevant information available.

· **Behaviour in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

· **Waste treatment methods**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

· **UN-Number**

· **ADG, ADN, IMDG, IATA**

Not classified as hazardous for transport

· **UN proper shipping name**

· **ADG, ADN, IMDG, IATA**

Not classified as hazardous for transport

· **Transport hazard class(es)**

· **ADG, ADN, IMDG, IATA**

· **Class**

Not classified as hazardous for transport

(Contd. on page 6)

# Safety Data Sheet

## according to WHS Regulations



Printing date 29.01.2024

Version number 2.3

Revision: 19.01.2024

**Trade name: FOUR STROKE 4T SAE 10W/40 JASO MA2**

(Contd. of page 5)

· <b>Packing group</b>	
· <b>ADG, IMDG, IATA</b>	Not classified as hazardous for transport
· <b>Environmental hazards:</b>	Not applicable.
· <b>Special precautions for user</b>	Not applicable.
· <b>Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>UN "Model Regulation":</b>	Not classified as hazardous for transport

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Australian Inventory of Industrial Chemicals**

64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic
72623-87-1	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based
4259-15-8	zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)
68784-31-6	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts
68784-26-9	Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased
8042-47-5	White mineral oil (petroleum)

- **Standard for the Uniform Scheduling of Medicines and Poisons**

None of the ingredients is listed.

- **Australia: Priority Existing Chemicals**

None of the ingredients is listed.

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

- **purity requirement**

- **Relevant phrases**

H304 May be fatal if swallowed and enters airways.

- **Department issuing SDS:** Abteilung Produktsicherheit

- **Contact:**

- **Abbreviations and acronyms:**

Asp. Tox. 1: Aspiration hazard – Category 1

- **\* Data compared to the previous version altered.**