

1 Identification

- **Product identifier**
- **Trade name: RACING BRAKE FLUID**
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture**
Only for proper handling.
Brake fluid
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
MOTOREX AG
Bern-Zürich-Strasse 31, Postfach
CH-4901 Langenthal
Tel. +41 (0)62 919 75 75
www.motorex.com

A1 Accessory Imports
60-62 Burchill St.
Loganholme
4129 QLD
Australia
Phone : 07 3451 1300
- **Further information obtainable from: msds@motorex.com**
- **Emergency telephone number:**
In case of a medical emergency following exposure to a chemical, call Poisons Information Centre Australia 13 11 26

2 Hazard(s) Identification

- **Classification of the substance or mixture**
The product is not classified, according to the Globally Harmonised System (GHS).
- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition and Information on Ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 143-22-6 EINECS: 205-592-6 Index number: 603-183-00-0	2-[2-(2-butoxyethoxy)ethoxy]ethanol ----- Eye Dam. 1, H318	≥10-<25%
CAS: 111-46-6 EINECS: 203-872-2 Index number: 603-140-00-6	2,2'-oxybisethanol ----- STOT RE 2, H373; Acute Tox. 4, H302	≥5-<10%
CAS: 111-77-3 EINECS: 203-906-6 Index number: 603-107-00-6	2-(2-methoxyethoxy)ethanol ----- Repr. 1B, H360; Flam. Liq. 4, H227	1-2.5%

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations



Printing date 30.01.2024

Version number 2.1

Revision: 24.02.2023

Trade name: RACING BRAKE FLUID

(Contd. of page 1)

CAS: 112-34-5	2-(2-butoxyethoxy)ethanol	1-2.5%
EINECS: 203-961-6	Eye Irrit. 2, H319	
Index number: 603-096-00-8		

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire Fighting Measures

- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Protective equipment:** No special measures required.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and Storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about fire - and explosion protection:** No special measures required.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
The recommended storage temperature is (deg.C): ≤50°C
- **Storage class:** 10
- **Specific end use(s)** No further relevant information available.

AU

(Contd. on page 3)

Trade name: RACING BRAKE FLUID

(Contd. of page 2)

8 Exposure controls and personal protection

· **Additional information about design of technical facilities:** No further data; see section 7.

· **Ingredients with limit values that require monitoring at the workplace:**

111-46-6 2,2'-oxybisethanol

WES | Long-term value: 100 mg/m³, 23 ppm

· **DNELs**

143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol

Oral	DNEL/general population/Systemic effects/Long-term	50.25 mg/kg/24h (consumer)
	DNEL/general pop/Systemic effects/acute-short term	103.4 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Local Effects / Long-term	5.65 mg/cm ² (worker)
	DNEL / Workers / Systemic effects / Long-term	400 mg/kg/24h (worker)
	DNEL/Workers/Systemic effects/acute-short term	1,005 mg/kg/24h (worker)
	DNEL/Workers/local effects/acute-short term	8.35 mg/cm ² (worker)
	DNEL/general popul/Local effects/acute-short term	4.173 mg/cm ² (consumer)
	DNEL/general population/Systemic effects/Long-term	200 mg/kg/24h (consumer)
	DNEL/general pop/Systemic effects/acute-short term	502.5 mg/kg/24h (consumer)
	DNEL/general population/Local effects/Long-term	2.823 mg/cm ² (consumer)
Inhalative	DNEL/general population/Local effects/Long-term	mg/kg/24h (consumer)
	DNEL / Workers / Systemic effects / Long-term	24 mg/m ³ (worker)
	DNEL/Workers/Systemic effects/acute-short term	96 mg/m ³ (worker)
	DNEL/Workers/Local effects/acute-short term	96 mg/m ³ (worker)
	DNEL / Workers / Local Effects / Long-term	30.5 mg/m ³ (worker)
	DNEL/general population/Systemic effects/Long-term	12 mg/m ³ (consumer)
	DNEL/general pop/Systemic effects/acute-short term	48 mg/m ³ (consumer)
	DNEL/general pop/Local effects/acute-short term	48 mg/m ³ (consumer)
	DNEL/general population/Local effects/Long-term	15.252 mg/m ³ (consumer)

111-46-6 2,2'-oxybisethanol

Dermal	DNEL / Workers / Systemic effects / Long-term	43 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Long-term	21 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Long-term	44 mg/m ³ (worker)
	DNEL / Workers / Local Effects / Long-term	60 mg/m ³ (worker)
	DNEL/general population/Systemic effects/Long-term	12 mg/m ³ (consumer)
	DNEL/general population/Local effects/Long-term	12 mg/m ³ (consumer)

111-77-3 2-(2-methoxyethoxy)ethanol

Oral	DNEL/general population/Systemic effects/Long-term	7.5 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Long-term	2.22 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Long-term	1.33 mg/kg/24h (consumer)

112-34-5 2-(2-butoxyethoxy)ethanol

Oral	DNEL/general population/Systemic effects/Long-term	5 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Long-term	83 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Long-term	50 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Long-term	67.5 mg/m ³ (worker)
	DNEL/Workers/Local effects/acute-short term	101.2 mg/m ³ (worker)
	DNEL / Workers / Local Effects / Long-term	67.5 mg/m ³ (worker)
	DNEL/general population/Systemic effects/Long-term	40.5 mg/m ³ (consumer)

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations



Printing date 30.01.2024

Version number 2.1

Revision: 24.02.2023

Trade name: RACING BRAKE FLUID

(Contd. of page 3)

	<i>DNEL/general pop/Local effects/acute-short term</i>	60.7 mg/m ³ (consumer)
	<i>DNEL/general population/Local effects/Long-term</i>	40.5 mg/m ³ (consumer)

· PNECs**143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol**

Oral	<i>PNEC / Predators / Secondary poisoning</i>	525.5 mg/kg food (secondary poisoning (predators))
	<i>PNEC / Aquatic organisms / Freshwater</i>	100 mg/l (aquatic organisms)
	<i>PNEC / Aquatic organisms / Marine water</i>	142.57 mg/l (aquatic organisms)
	<i>PNEC/Aquatic organisms/Sewage treatment plant/STP</i>	199.5 mg/l (aquatic organisms)
	<i>PNEC / Aquatic organisms / Sediment (freshwater)</i>	11.115 mg/kg (aquatic organisms)
	<i>PNEC / Aquatic organisms / Sediment (marine water)</i>	1.111 mg/kg (aquatic organisms)

111-46-6 2,2'-oxybisethanol

	<i>PNEC / Aquatic organisms / Freshwater</i>	10 mg/l (aquatic organisms)
	<i>PNEC / Aquatic organisms / Marine water</i>	1 mg/l (aquatic organisms)
	<i>PNEC / Aquatic org/intermittent releases(freshwater)</i>	10 mg/l (aquatic organisms)
	<i>PNEC/Aquatic organisms/Sewage treatment plant/STP</i>	199.5 mg/l (aquatic organisms)
	<i>PNEC / Aquatic organisms / Sediment (freshwater)</i>	20.9 mg/kg (aquatic organisms)
	<i>PNEC / Aquatic organisms / Sediment (marine water)</i>	2.09 mg/kg (aquatic organisms)
	<i>PNEC / Terrestrial organism / Soil</i>	1.53 mg/kg (terrestrial organisms)

111-77-3 2-(2-methoxyethoxy)ethanol

Oral	<i>PNEC / Predators / Secondary poisoning</i>	90 mg/kg food (secondary poisoning (predators))
	<i>PNEC / Aquatic organisms / Freshwater</i>	12 mg/l (aquatic organisms)
	<i>PNEC / Aquatic organisms / Marine water</i>	1.2 mg/l (aquatic organisms)
	<i>PNEC / Aquatic org/intermittent releases(freshwater)</i>	12 mg/l (aquatic organisms)
	<i>PNEC/Aquatic organisms/Sewage treatment plant/STP</i>	10,000 mg/l (aquatic organisms)
	<i>PNEC / Aquatic organisms / Sediment (freshwater)</i>	44.4 mg/kg (aquatic organisms)
	<i>PNEC / Aquatic organisms / Sediment (marine water)</i>	0.44 mg/kg (aquatic organisms)
	<i>PNEC / Terrestrial organism / Soil</i>	2.1 mg/kg (terrestrial organisms)

112-34-5 2-(2-butoxyethoxy)ethanol

Oral	<i>PNEC / Predators / Secondary poisoning</i>	56 mg/kg food (secondary poisoning (predators))
	<i>PNEC / Aquatic organisms / Freshwater</i>	1.1 mg/l (aquatic organisms)
	<i>PNEC / Aquatic organisms / Marine water</i>	0.11 mg/l (aquatic organisms)
	<i>PNEC/Aquatic organisms/Sewage treatment plant/STP</i>	200 mg/l (aquatic organisms)
	<i>PNEC / Aquatic organisms / Sediment (freshwater)</i>	4.4 mg/kg (aquatic organisms)

(Contd. on page 5)

Trade name: RACING BRAKE FLUID

(Contd. of page 4)

PNEC / Aquatic organisms / Sediment (marine water)	0.44 mg/kg (aquatic organisms)
PNEC / Terrestrial organism / Soil	0.32 mg/kg (terrestrial organisms)

- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
- **Respiratory protection:**
Not necessary if room is well-ventilated.
Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling
- **Body protection:** Protective work clothing

9 Physical and Chemical Properties

- **General Information**
- **Appearance:**
- **Form:** Fluid
- **Colour:** Amber coloured
- **Odour:** Characteristic
- **Odour threshold:** Not determined.
- **pH-value at 20 °C:** 7.5 (DIN 51369)
- **Change in condition**
- **Melting point/freezing point:** Undetermined.
- **Initial boiling point and boiling range:** >300 °C (DIN EN ISO 3405)
- **Setting temperature / range:** <-50 °C
- **Flash point:** >140 °C
- **Flammability (solid, gas):** Not applicable.
- **Auto-ignition temperature:** 203 °C (DIN 51794)
- **Decomposition temperature:** Not determined.
- **Explosive properties:** Product does not present an explosion hazard.
- **Explosion limits:**
- **Lower:** Not determined.
- **Upper:** Not determined.
- **Vapour pressure:** Not determined.
- **Density at 20 °C:** 1.08 g/cm³ (ASTM D 4052)
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not determined.

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations



Printing date 30.01.2024

Version number 2.1

Revision: 24.02.2023

Trade name: RACING BRAKE FLUID

(Contd. of page 5)

- **Solubility in / Miscibility with**
- **water:** Fully miscible.
- **Partition coefficient: n-octanol/water:** Not determined.
- **Viscosity:**
- **Dynamic:** Not determined.
- **Kinematic:** 22 mm²/s @ 20 °C
22 mm²/s @ 40°C
- **Solvent separation test:**
- **VOC (EC)** 8.00 %
- **Other information** No further relevant information available.

10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol

Oral	LD50	5,000-11,300 mg/kg (rat)
	NOAEL	250-400 mg/kg/24h (rat)
	LOAEL	1,000-1,200 mg/kg/24h (rat)
Dermal	LD50	3,540 mg/kg (rabbit)
	NOAEL	200-4,000 mg/kg/24h (rat)
		1,000 mg/kg/24h (rabbit)
Inhalative	LC50 / 16h	2.4 mg/l (rat)
	NOAEL	94 mg/m ³ (rat)
	NOAEC	120-152.52 mg/m ³ (rat)
	NOEC	40 mg/m ³ (rat)

111-46-6 2,2'-oxybisethanol

Oral	LD50	1,000 mg/kg (rat)
	NOAEL	10,000 mg/kg (rat)
	NOAEL	128-300 mg/kg/24h (rat)
	LOAEL	40,000 mg/kg (rat)
Dermal	LD50	13,300 mg/kg (rabbit)
	NOAEL	2,200-4,400 mg/kg/24h (dog)
Inhalative	LC50 / 4h	>4.6 mg/l (rat)

111-77-3 2-(2-methoxyethoxy)ethanol

Oral	LD50	7,128-8,188 mg/kg (mouse)
	NOAEL	900 mg/kg/24h (rat)

(Contd. on page 7)

Trade name: RACING BRAKE FLUID

(Contd. of page 6)

Dermal	LOAEL	1,800 mg/kg/24h (rat)
	LD50	9,404 mg/kg (rabbit)
Inhalative	NOAEL	40 mg/kg/24h (guinea pig)
	NOAEC	1.06 mg/l (rat)
112-34-5 2-(2-butoxyethoxy)ethanol		
Oral	LD50	2,410-5,530 mg/kg (mouse)
Dermal	NOAEL	250 mg/kg/24h (rat)
	LD50	2,764 mg/kg (rabbit)
Inhalative	NOAEL	200-2,000 mg/kg/24h (rat)
	NOAEL	14 ppm (rat)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

12 Ecological Information

· Toxicity
· Aquatic toxicity:
143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol

LC50	2,182-14,257 mg/l/96h (fish)
LC0	2,150 mg/l/96h (fish)
LC100	4,600 mg/l/96h (fish)
LC50	1,740-5,521 mg/l/48h (aquatic invertebrates)
	2,400 mg/l/48h (fish)
LC50	2,400-2,967 mg/l/24h (fish)
EC10	233.9-235.6 mg/l/21d (aquatic invertebrates)
EC50	174.5-3,167.5 mg/l/24h (aquatic invertebrates)
EC10	151-1,185 mg/l/72h (algae / cyanobacteria)
EC50	500-3,211 mg/l/72h (algae / cyanobacteria)
EC50	518.3 mg/l/21d (aquatic invertebrates)
EC0	500 mg/l/48h (aquatic invertebrates)
EC50	500-3,141.3 mg/l/48h (aquatic invertebrates)
NOEC	97.7-174.6 mg/l/21d (aquatic invertebrates)
	174.6 mg/l/21d (fish)
NOEC	62.5-499 mg/l/72h (algae / cyanobacteria)

111-46-6 2,2'-oxybisethanol

LC50	75.2 mg/l/96h (fish)
LC50	1,500 mg/l/28d (fish)
EC50	10,000 mg/l/24h (aquatic invertebrates)
EC50	6,500-13,000 mg/l/96h (algae / cyanobacteria)
EC50	33,911 mg/l/21d (aquatic invertebrates)
NOEC	7,500-15,000 mg/l/21d (aquatic invertebrates)

(Contd. on page 8)

Safety Data Sheet

according to WHS Regulations



Printing date 30.01.2024

Version number 2.1

Revision: 24.02.2023

Trade name: RACING BRAKE FLUID

(Contd. of page 7)

NOEC	100 mg/l/72h (algae / cyanobacteria)
NOEC	8,590-24,000 mg/l/7d (aquatic invertebrates)
	15,380-32,000 mg/l/7d (fish)
111-77-3 2-(2-methoxyethoxy)ethanol	
LC50	5,741 mg/l/96h (fish)
EC10	688 mg/l/48h (aquatic invertebrates)
EC50	1,000 mg/l/96h (algae / cyanobacteria)
EC50	1,192 mg/l/48h (aquatic invertebrates)
112-34-5 2-(2-butoxyethoxy)ethanol	
LC50	1,300 mg/l/96h (fish)
EC50	100 mg/l/96h (algae / cyanobacteria)
EC50	1,101 mg/l/72h (algae / cyanobacteria)
EC50	100 mg/l/48h (aquatic invertebrates)
NOEC	100 mg/l/96h (algae / cyanobacteria)
NOEC	100 mg/l/48h (aquatic invertebrates)

- **Persistence and degradability** No further relevant information available.

- **Behaviour in environmental systems:**

- **Bioaccumulative potential**

143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol	
Partition coefficient	0.51 [---] (log Kow) (Bioaccumulation)
Biodegradability	85 % (28d) (Biodegradability) (OECD 301 A)
111-46-6 2,2'-oxybisethanol	
Partition coefficient	≤1.98 [---] (log Kow) (Bioaccumulation)
Biodegradability	90-100 % (28d) (Biodegradability) (OECD 301 A)
111-77-3 2-(2-methoxyethoxy)ethanol	
Partition coefficient	≤0.47 [---] (log Kow) (Bioaccumulation)
Biodegradability	>75 % (28d) (Biodegradability)
112-34-5 2-(2-butoxyethoxy)ethanol	
Partition coefficient	1 [---] (log Kow) (Bioaccumulation)
Biodegradability	95 % (28d) (Biodegradability) (OECD 301 C)

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**

- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

(Contd. on page 9)

Safety Data Sheet

according to WHS Regulations



Printing date 30.01.2024

Version number 2.1

Revision: 24.02.2023

Trade name: RACING BRAKE FLUID

(Contd. of page 8)

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

14 Transport information

· UN-Number · ADG, ADN, IMDG, IATA	Not classified as hazardous for transport
· UN proper shipping name · ADG, ADN, IMDG, IATA	Not classified as hazardous for transport
· Transport hazard class(es) · ADG, ADN, IMDG, IATA · Class	Not classified as hazardous for transport
· Packing group · ADG, IMDG, IATA	Not classified as hazardous for transport
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· UN "Model Regulation":	Not classified as hazardous for transport

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Australian Inventory of Industrial Chemicals**

All ingredients are listed.

- **Standard for the Uniform Scheduling of Medicines and Poisons**

111-46-6	2,2'-oxybisethanol	S5, S6, S10
111-77-3	2-(2-methoxyethoxy)ethanol	S6, S10
112-34-5	2-(2-butoxyethoxy)ethanol	S5

- **Australia: Priority Existing Chemicals**

None of the ingredients is listed.

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

(Contd. on page 10)

Safety Data Sheet
according to WHS Regulations



Printing date 30.01.2024

Version number 2.1

Revision: 24.02.2023

Trade name: RACING BRAKE FLUID

(Contd. of page 9)

- **purity requirement**
- **Relevant phrases**
 - H227 Combustible liquid.*
 - H302 Harmful if swallowed.*
 - H318 Causes serious eye damage.*
 - H319 Causes serious eye irritation.*
 - H360 May damage fertility or the unborn child.*
 - H373 May cause damage to organs through prolonged or repeated exposure.*
- **Department issuing SDS:** Abteilung Produktsicherheit
- **Contact:**
- **Abbreviations and acronyms:**
 - Flam. Liq. 4: Flammable liquids – Category 4*
 - Acute Tox. 4: Acute toxicity – Category 4*
 - Eye Dam. 1: Serious eye damage/eye irritation – Category 1*
 - Eye Irrit. 2: Serious eye damage/eye irritation – Category 2*
 - Repr. 1B: Reproductive toxicity – Category 1B*
 - STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2*
- *** Data compared to the previous version altered.**

AU