

Safety Data Sheet

according to WHS Regulations



Printing date 30.01.2024

Version number 3.0

Revision: 19.09.2023

1 Identification

- **Product identifier**
- **Trade name:** RACING PRO 4T SAE 0W/40
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture**
Only for proper handling.
Engine oil
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
MOTOREX AG
Bern–Zürich–Strasse 31, Postfach
CH–4901 Langenthal
Tel. +41 (0)62 919 75 75
www.motorex.com

A1 Accessory Imports
60-62 Burchill St.
Loganholme
4129 QLD
Australia
Phone : 07 3451 1300
- **Further information obtainable from:** msds@motorex.com
- **Emergency telephone number:**
In case of a medical emergency following exposure to a chemical, call Poisons Information Centre Australia 13 11 26

2 Hazard(s) Identification

- **Classification of the substance or mixture**
The product is not classified, according to the Globally Harmonised System (GHS).
- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition and Information on Ingredients

- **Chemical characterisation:** Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

	Mineral oils (mixture) Asp. Tox. 1, H304	≥2.5-≤7.5%
CAS: 64742-54-7 EINECS: 265-157-1 Index number: 649-467-00-8	Distillates (petroleum), hydrotreated heavy paraffinic Asp. Tox. 1, H304	2.5-7.5%
CAS: 84605-29-8 EINECS: 283-392-8	Phosphorodithioic acid, mixed O,O-bis (1,3-diethylbutyl and iso-Pr)esters, zinc salts Eye Dam. 1, H318; Skin Irrit. 2, H315	≥1-<2.5%

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations



Printing date 30.01.2024

Version number 3.0

Revision: 19.09.2023

Trade name: RACING PRO 4T SAE 0W/40

(Contd. of page 1)

EC number: 947-519-7	Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. Para-, calcium salts Skin Sens. 1B, H317	≥0.1-≤1%
----------------------	---	----------

Additional information:

Note L: The classification as carcinogen does not apply because the mixture (or substance) contains less than 3% dimethyl sulfoxide extract (DMSO), measured according to IP 346.
For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Remove residues with soap and water.
Remove contaminated clothing immediately.
- **After eye contact:**
Rinse opened eye for several minutes under running water.
Consult a physician if irritation develops.
- **After swallowing:**
Do not induce vomiting. Do not take in resorption stimulating agents.
Consult a physician who will decide on need and method of emptying the stomach.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire Fighting Measures

- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture**
In case of fire carbon, sulphur and phosphorus oxides can be formed.
- **Protective equipment:** No special measures required.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
- **Reference to other sections**
No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

AU

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations



Printing date 30.01.2024

Version number 3.0

Revision: 19.09.2023

Trade name: RACING PRO 4T SAE 0W/40

(Contd. of page 2)

7 Handling and Storage

- **Handling:**
- **Precautions for safe handling**
Used oils (motor oils, gear oils, industrial oils) contain components causing skin cancer. Therefore, avoid skin contact by wearing protecting gloves. Carefully clean soiled parts of the skin with soap. No special measures required.
- **Information about fire - and explosion protection:** Do not heat above flash point.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
The recommended storage temperature is (deg.C): ≤50°C
Store containers closed and protect against rain, dust, heat and other atmospheric influences.
- **Storage class:** 10
- **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

- **Additional information about design of technical facilities:** No further data; see section 7.
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

84605-29-8 Phosphorodithioic acid, mixed O,O-bis (1,3-diethylbutyl and iso-Pr)esters, zinc salts

Oral	DNEL/general population/Systemic effects/Long-term	0.24 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Long-term	12.1 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Long-term	6.1 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Long-term	8.31 mg/m3 (worker)
	DNEL/general population/Systemic effects/Long-term	2.11 mg/m3 (consumer)

· PNECs

84605-29-8 Phosphorodithioic acid, mixed O,O-bis (1,3-diethylbutyl and iso-Pr)esters, zinc salts

Oral	PNEC / Predators / Secondary poisoning	10.67 mg/kg food (secondary poisoning (predators))
	PNEC / Aquatic organisms / Freshwater	0.004 mg/l (aquatic organisms)
	PNEC / Aquatic organisms / Marine water	0.0046 mg/l (aquatic organisms)
	PNEC / Aquatic org / intermittent releases (freshwater)	0.045 mg/l (aquatic organisms)
	PNEC / Aquatic organisms / Sewage treatment plant / STP	100 mg/l (aquatic organisms)
	PNEC / Aquatic organisms / Sediment (freshwater)	0.02203 mg/kg (aquatic organisms)
	PNEC / Aquatic organisms / Sediment (marine water)	0.002203 mg/kg (aquatic organisms)
	PNEC / Terrestrial organism / Soil	0.00206 mg/kg (terrestrial organisms)

- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations



Printing date 30.01.2024

Version number 3.0

Revision: 19.09.2023

Trade name: RACING PRO 4T SAE 0W/40

(Contd. of page 3)

- Do not inhale gases / fumes / aerosols.
- **Respiratory protection:**
Not necessary if room is well-ventilated.
Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling
- **Body protection:** Protective work clothing

9 Physical and Chemical Properties

- **General Information**
- **Appearance:**
- **Form:** Fluid
- **Colour:** Amber coloured
- **Odour:** Characteristic
- **Odour threshold:** Not determined.
- **pH-value:** Not determined.
- **Change in condition**
- **Melting point/freezing point:** Undetermined.
- **Initial boiling point and boiling range:** Undetermined.
- **Flash point:** >200 °C
- **Flammability (solid, gas):** Not applicable.
- **Decomposition temperature:** Not determined.
- **Explosive properties:** Product does not present an explosion hazard.
- **Explosion limits:**
- **Lower:** Not determined.
- **Upper:** Not determined.
- **Vapour pressure at 20 °C:** 1.3 hPa
<0.1 hPa (20°C)
- **Density at 20 °C:** 0.865 g/cm³ (ASTM D 4052)
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not determined.
- **Solubility in / Miscibility with**
- **water:** Not miscible or difficult to mix.
- **Partition coefficient: n-octanol/water:** Not determined.
- **Viscosity:**
- **Dynamic:** Not determined.
- **Kinematic:** 82 mm²/s @ 40 °C (DIN 51562-1)
14.2 mm²/s @ 100 °C
- **Solvent separation test:**
- **VOC (EC)** 0.00 %

(Contd. on page 5)

AU

Safety Data Sheet

according to WHS Regulations



Printing date 30.01.2024

Version number 3.0

Revision: 19.09.2023

Trade name: RACING PRO 4T SAE 0W/40

(Contd. of page 4)

· **Other information**

No further relevant information available.

10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic

Oral	LD50	5,000 mg/kg (rat)
	LOAEL	125 mg/kg/24h (rat)
Dermal	LD50	2,000-5,000 mg/kg (rabbit)
	NOAEL	150 mg/kg/24h (mouse)
		30-2,000 mg/kg/24h (rat)
Inhalative		1,000 mg/kg/24h (rabbit)
	LOAEL	100 mg/kg/24h (mouse)
	LC50 / 4h	2.18-5.53 mg/l (rat)
	NOEL	220 mg/m3 (rat)
	NOAEL	980 mg/m3 (rat)

84605-29-8 Phosphorodithioic acid, mixed O,O-bis (1,3-diethylbutyl and iso-Pr)esters, zinc salts

Oral	NOEL	40 mg/kg/24h (rat)
	NOAEL	160 mg/kg/24h (rat)
Dermal	LD50	2,002 mg/kg (rat)
Inhalative	LC50 / 4h	2.3 mg/l (rat)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

AU

(Contd. on page 6)

Trade name: RACING PRO 4T SAE 0W/40

(Contd. of page 5)

12 Ecological Information

· Toxicity

· Aquatic toxicity:

64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic

LL50	10,000 mg/l/96h (aquatic invertebrates)
	100 mg/l/96h (fish)
LL50	10,000 mg/l/72h (aquatic invertebrates)
LL50	10,000 mg/l/48h (aquatic invertebrates)
LL50	10,000 mg/l/24h (aquatic invertebrates)
EL50	10,000 mg/l/48h (aquatic invertebrates)

84605-29-8 Phosphorodithioic acid, mixed O,O-bis (1,3-diethylbutyl and iso-Pr)esters, zinc salts

LOEC	0.8 mg/l/21d (aquatic invertebrates)
LC50	46 mg/l/96h (fish)
EC50	10,000 mg/l/3h (microorganisms)
LL50	4.5 mg/l/96h (fish)
EL50	23 mg/l/48h (aquatic invertebrates)
EL50	21-24 mg/l/72h (algae / cyanobacteria)
NOEC	0.4-0.8 mg/l/21d (aquatic invertebrates)
NOELR	1.8 mg/l/96h (fish)
NOELR	10 mg/l/48h (aquatic invertebrates)

Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. Para-, calcium salts

LC50	>1,000 mg/l/96h (Pimephales promelas)
	>100 mg/l/96h (rainbow trout)
EC50	>1,000 mg/l/96h (algae)

· **Persistence and degradability** No further relevant information available.

· **Behaviour in environmental systems:**

· Bioaccumulative potential

64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic

Partition coefficient >6 [---] (log Kow) (Bioaccumulation)

84605-29-8 Phosphorodithioic acid, mixed O,O-bis (1,3-diethylbutyl and iso-Pr)esters, zinc salts

Partition coefficient 0.56 [---] (log Kow) (Bioaccumulation)

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· General notes:

Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

-AU-

(Contd. on page 7)

Safety Data Sheet

according to WHS Regulations



Printing date 30.01.2024

Version number 3.0

Revision: 19.09.2023

Trade name: RACING PRO 4T SAE 0W/40

(Contd. of page 6)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Contact waste processors for recycling information.
Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|---|---|
| · UN-Number | |
| · ADG, ADN, IMDG, IATA | Not classified as hazardous for transport |
| · UN proper shipping name | |
| · ADG, ADN, IMDG, IATA | Not classified as hazardous for transport |
| · Transport hazard class(es) | |
| · ADG, ADN, IMDG, IATA | |
| · Class | Not classified as hazardous for transport |
| · Packing group | |
| · ADG, IMDG, IATA | Not classified as hazardous for transport |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Not classified as hazardous for transport |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· Australian Inventory of Industrial Chemicals

68037-01-4	PAO 6
11138-60-6	Trimethylolpropantricaprylat/-caprat
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic
84605-29-8	Phosphorodithioic acid, mixed O,O-bis (1,3-diethylbutyl and iso-Pr)esters, zinc salts
36878-20-3	Reaction products of Benzeneamine, N-phenyl- with nonene (branched)
80939-62-4	Amine, C11-14-branched alkyl, Monoxy and dibutyl phosphate
91273-04-0	N,N-bis(2-ethylhexyl)-((1,2,4-triazol-1-yl)methyl)amine
122-39-4	diphenylamine
106-20-7	bis(2-ethylhexyl)amine
288-88-0	1,2,4-triazole
108-31-6	maleic anhydride

(Contd. on page 8)

-AU-

Safety Data Sheet

according to WHS Regulations



Printing date 30.01.2024

Version number 3.0

Revision: 19.09.2023

Trade name: RACING PRO 4T SAE 0W/40

(Contd. of page 7)

<ul style="list-style-type: none"> · Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

<ul style="list-style-type: none"> · Australia: Priority Existing Chemicals

None of the ingredients is listed.

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **National chemical directories** Components listed or exempted from listing:

- **Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

- **purity requirement**

- **Relevant phrases**

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

- **Department issuing SDS:** Abteilung Produktsicherheit

- **Contact:**

- **Abbreviations and acronyms:**

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

Asp. Tox. 1: Aspiration hazard – Category 1

- *** Data compared to the previous version altered.**

— AU —