MOTOREX*
Oil of Switzerland

Revision: 16.02,2023

Printing date 30.01.2024

Version number 2.1

1 Identification

- · Product identifier
- · Trade name: RACING PRO 4T SAE 10W 40 CROSS
- Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture

Only for proper handling.

Engine oil

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

MOTOREX AG

Bern-Zürich-Strasse 31, Postfach

CH-4901 Langenthal

Tel. +41 (0)62 919 75 75

www.motorex.com

A1 Accessory Imports

60-62 Burchill St.

Loganholme

4129 QLD

Australia

Phone: 07 3451 1300

- · Further information obtainable from: msds@motorex.com
- · Emergency telephone number:

In case of a medical emergency following exposure to a chemical, call Poisons Information Centre Australia 13 11 26

2 Hazard(s) Identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonised System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- Signal word Void
- · Hazard statements Void
- · Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous 	components:
-------------------------------	-------------

CAS: 72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated 25-50% neutral oil-based Index number: 649-483-00-5 Asp. Tox. 1, H304

(Contd. on page 2)



Printing date 30.01.2024 Version number 2.1

Trade name: RACING PRO 4T SAE 10W 40 CROSS

	(C	ontd. of page 1)
	Mineral oils (mixture)	≥5-≤10%
	Asp. Tox. 1, H304	
	Alkyl(C18-C28) acide toluene-sulfon. Calciumsalt,Bor	≥0.25-<1%
	Repr. 2, H361; Skin Sens. 1, H317	
CAS: 722503-68-6 EC number: 682-816-2	Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts Skin Sens. 1B, H317	0.1-0.25%

Additional information:

Note L: The classification as carcinogen does not apply because the mixture (or substance) contains less than 3% dimethyl sulfoxide extract (DMSO), measured according to IP 346. For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 3)

MOTOREX*
Oil of Switzerland

Revision: 16.02.2023

Printing date 30.01.2024 Version number 2.1

Trade name: RACING PRO 4T SAE 10W 40 CROSS

(Contd. of page 2)

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

The recommended storage temperature is (deg.C): ≤ 50°C

- · Storage class: 10
- · Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs		
	1 Lubricating oils (petroleum), C20-50, hydrotre	eated neutral oil-based
Inhalative	DNEL / Workers / Local Effects / Long-term	5.4 mg/m3/8h (worker)
	DNEL/general population/Local effects/Long-term	1.2 mg/m3/24h (consumer)

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Respiratory protection:

Not necessary if room is well-ventilated.

Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Goggles recommended during refilling
- · Body protection: Protective work clothing

9 Physical and Chemical Properties

· General Information

Appearance:
Form:
Colour:
Odour:
Odour threshold:

• Odour threshold:
• pH-value:

Not determined.
Not determined.

· Change in condition

• Melting point/freezing point: Undetermined.
• Initial boiling point and boiling range: Undetermined.

· Flash point: >200 °C

(Contd. on page 4)

MOTOREX Oil of Switzerland

Printing date 30.01.2024 Version number 2.1 Revision: 16.02.2023

Trade name: RACING PRO 4T SAE 10W 40 CROSS

(Contd. of page 3)

Flammability (solid, gas):
 Decomposition temperature:
 Not applicable.
 Not determined.

Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.
Upper: Not determined.
Vapour pressure: Not determined.

• Density at 20 °C: 0.869 g/cm³ (ASTM D 4052)

Relative density
 Vapour density
 Evaporation rate
 Not determined.
 Not determined.

Solubility in / Miscibility with

• water: Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined.
Kinematic: 153.6 mm²/s @ 40 °C

· Solvent separation test:

· **VOC (EC)** 0.00 %

• Other information No further relevant information available.

10 Stability and Reactivity

- · Reactivity No further relevant information available.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification: 72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Oral LD50 5,000 mg/kg (rat) LOAEL 125 mg/kg/24h (rat) Dermal LD50 2,000-5,000 mg/kg (rabbit) NOAEL 150 mg/kg/24h (mouse) 30-2,000 mg/kg/24h (rat) 1,000 mg/kg/24h (rabbit) 100 mg/kg/24h (mouse) LOAEL Inhalative | LC50 / 4h | 2.18-5.53 mg/l (rat) **NOAEC** 980 mg/m3 (rat) NOEC 220 mg/m3 (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 5)

MOTOREX*
Oil of Switzerland

Revision: 16.02.2023

Printing date 30.01.2024 Version number 2.1

Trade name: RACING PRO 4T SAE 10W 40 CROSS

(Contd. of page 4)

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

· Toxicity

· Aquatic toxicity: 72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

LL50 | 10,000 mg/l/96h (aquatic invertebrates)

100 mg/l/96h (fish)

LL50 10,000 mg/l/72h (aquatic invertebrates)

LL50 10,000 mg/l/48h (aquatic invertebrates)

LL50 | 10,000 mg/l/24h (aquatic invertebrates)

EL50 10,000 mg/l/48h (aquatic invertebrates)

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes:

Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · ADG, ADN, IMDG, IATA	Not classified as hazardous for transport
· UN proper shipping name · ADG, ADN, IMDG, IATA	Not classified as hazardous for transport

(Contd. on page 6)

MOTOREX Oil of Switzerland
Revision: 16.02.2023

Printing date 30.01.2024

Version number 2.1

Trade name: RACING PRO 4T SAE 10W 40 CROSS

	(Contd. of page 5)
· Transport hazard class(es)	
· ADG, ADN, IMDG, IATA · Class	Not classified as hazardous for transport
· Packing group · ADG, IMDG, IATA	Not classified as hazardous for transport
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Anne Marpol and the IBC Code	ex II of Not applicable.
· UN "Model Regulation":	Not classified as hazardous for transport

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

IIIIXLUIE			
· Australian Ir	· Australian Inventory of Industrial Chemicals		
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic		
72623-87-1	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based		
68784-31-6	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts		
722503-68-6	Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts		
8042-47-5	White mineral oil (petroleum)		
· Standard for the Uniform Scheduling of Medicines and Poisons			
None of the ii	ngredients is listed.		
· Australia: Priority Existing Chemicals			
None of the ingredients is listed.			

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

- · purity requirement
- · Relevant phrases

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

H361 Suspected of damaging fertility or the unborn child.

- · Department issuing SDS: Abteilung Produktsicherheit
- Contact:
- · Abbreviations and acronyms:

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B Repr. 2: Reproductive toxicity – Category 2

(Contd. on page 7)

Revision: 16.02.2023

Printing date 30.01.2024

Version number 2.1

Trade name: RACING PRO 4T SAE 10W 40 CROSS

(Contd. of page 6)

Asp. Tox. 1: Aspiration hazard – Category 1

* * Data compared to the previous version altered.