Version number 2.3

Printing date 02.02.2024



1 Identification

- · Product identifier
- · Trade name: SCOOTER 4T SAE 10W/40 JASO MA2
- **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance** / **the mixture** Only for proper handling. Engine oil
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier:

MOTOREX AG Bern–Zürich–Strasse 31, Postfach CH–4901 Langenthal Tel. +41 (0)62 919 75 75 www.motorex.com

A1 Accessory Imports 60-62 Burchill St. Loganholme 4129 QLD Australia Phone : 07 3451 1300

- · Further information obtainable from: msds@motorex.com
- Emergency telephone number:

In case of a medical emergency following exposure to a chemical, call Poisons Information Centre Australia 13 11 26

2 Hazard(s) Identification

• Classification of the substance or mixture The product is not classified, according to the Globally Harmonised System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Precautionary statements
- P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children.
- P103 Read label before use.
- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
Mineral oils (m	Mineral oils (mixture) ≥10-≤259	
Asp. Tox. 1, H	304	
CAS: 72623-87-1 Lubricating of	oils (petroleum), C20-50, hydrotreated	5-10%
EINECS: 276-738-4 neutral oil-bas		
Index number: 649-483-00-5 Asp. Tox. 1, H	304	
	(Cor	ntd on page 2)

Printing date 02.02.2024

Version number 2.3



Trade name: SCOOTER 4T SAE 10W/40 JASO MA2

· Additional information:

(Contd. of page 1)

Note L: The classification as carcinogen does not apply because the mixture (or substance) contains less than 3% dimethyl sulfoxide extract (DMSO), measured according to IP 346. For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- *Most important symptoms and effects, both acute and delayed No further relevant information available.*
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire Fighting Measures

· Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental Release Measures

- Personal precautions, protective equipment and emergency procedures Not required. • Environmental precautions:
- Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling No special measures required.
- Information about fire and explosion protection: No special measures required.
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- The recommended storage temperature is (deg.C): ≤50°C
- · Storage class: 10
- · Specific end use(s) No further relevant information available.

(Contd. on page 3)



Printing date 02.02.2024

Version number 2.3

Trade name: SCOOTER 4T SAE 10W/40 JASO MA2

(Contd. of page 2)

Additional information about design of technical facilities: No further data; see section 7. Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. DIELS T2623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Inhalative DNEL / Workers / Local Effects / Long-term 5.4 mg/m3/8h (worker) DNEL/general population/Local effects/Long-term 1.2 mg/m3/24h (consumer) Additional information: The lists valid during the making were used as basis. Personal protective equipment: General protective equipment: General protection: The lists valid during the making were used as basis. Personal protection end by gienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Do not inhal gases / furenosis. Respiratory protection: Not necessary if room is well-ventilated. Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and th degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further mark of quality and varies from manufacturer to manufacturer As the product is a preparation of severes substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Segarance: Form: Fluid Colour: Characteristic Odour threshold: Not determined. Ph-Value: Not applicable. Ph-Va	8 Exposure con			
72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Inhalative DNEL / Workers / Local Effects / Long-term 5.4 mg/m3/3b (worker) DNEL/general population/Local effects/Long-term 1.2 mg/m3/24h (consumer) Additional information: The lists valid during the making were used as basis. Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Do not inhale gases / tumes / aerosols. Respiratory protection: Not necessary if room is well-ventilated. Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK. Protection of the glove material on consideration of the product/ the substance/ thu preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and thu degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further mark of quality and varies from manufacturer to manufacturer. As the product is a preparation of severe substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material Material bile posereree Sedy protection: Goggles recommended during re	Ingredients with The product does	limit values that required not contain any releva	lire monitoring at th	ne workplace:
Inhalative DNEL / Workers / Local Effects / Long-term 5.4 mg/m3/8h (worker) DNEL/general population/Local effects/Long-term 1.2 mg/m3/24h (consumer) • Additional information: The lists valid during the making were used as basis. Personal protective equipment: • General protective equipment: General protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. • Respiratory protection: Respiratory protection: Not necessary if room is well-ventilated. Respiratory protection: Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further mark of quality and varies from manufacturer to manufacturer. As the product in advance and has therefore to be checked prior to the application. • Penetration time of glove material Tho teached bin advance and has therefore to be checked prior to the application. • Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. <tr< th=""><th>·DNELs</th><th></th><th></th><th></th></tr<>	·DNELs			
Inhalative DNEL / Workers / Local Effects / Long-term 5.4 mg/m3/8h (worker) DNEL/general population/Local effects/Long-term 1.2 mg/m3/24h (consumer) • Additional information: The lists valid during the making were used as basis. Personal protective equipment: • General protective equipment: General protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. • Respiratory protection: Respiratory protection: Not necessary if room is well-ventilated. Respiratory protection: Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further mark of quality and varies from manufacturer to manufacturer. As the product in advance and has therefore to be checked prior to the application. • Penetration time of glove material Tho teached bin advance and has therefore to be checked prior to the application. • Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. <tr< th=""><th></th><th>cating oils (petroleur</th><th>m) C20-50 hvdrotre</th><th>pated neutral oil-based</th></tr<>		cating oils (petroleur	m) C20-50 hvdrotre	pated neutral oil-based
DNEL/general population/Local effects/Long-term 1.2 mg/m3/24h (consumer) • Additional Information: The lists valid during the making were used as basis. • Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Do not inhale gases / lumes / aerosols. Respiratory protection: Not necessary if room is well-ventilated. Respiratory protection of a mass: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of severa substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Goggles recommended during refilling Body protection: Protective work clothing • General Information Appearance:				
Additional information: The lists valid during the making were used as basis. Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Do not inhale gases / times / aerosols. Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK. Protection of hands: The glove material on consideration of the penetration times, rates of diffusion and the degradation Selection of the suitable gloves does not only depend on the material, but also on further mark. of quality and varies from manufacturer to manufacturer. As the product is a preparation of severa substances, the resistance of the glove material The solve material for material. The solve and the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Goggles recommended during refilling Body protection: Protective work clothing Physical and Chemical Properties General Information Appearance: Form: Fluid Golour: Characteristic Odour threshold: Not determined. Physical and Chemical Properties Physical and Chemical Properties Fluid Colour: Poly Solve properties: Poly Solve Properties: Product does not present an explosion hazard. Physical in the solve protection: Poly Solve Properties: Product does not present an explosion hazard. Physical information Meting point/reezing point: Not determined. Physical information Physical point and boiling range: Not determined. Physical information Meting point freezing point: Product does not present an explosion hazard. Product does not			-	0
Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Do not inhale gases / tumes / aerosols. Respiratory protection: Not necessary if room is well-ventilated. Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further mark of quality and varies from manufacturer to manufacturer. As the product is a preparation of severe substances, the resistance of the glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eve protection: Goggles recommended during refilling Body protection: Protective work clothing Physical and Chemical Properties General Information Adpearance: Form: Fluid Colour: Characteristic Qour threshold: Not determined. PH-value: Not determined. PH-value: Not determined. Flash point: Not determined. Flash point: Not determined. Flash point: Not determined. Explosive properties: Not determined. Explosive properties: Not determined. Explosion hazard.				
 General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Respiratory protection: Not necessary if room is well-ventilated. Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further mark. of quality and varies from manufacturer to manufacturer. As the product is a preparation of severe substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Geggles recommended during refilling Body protection: Protective work clothing • Odour: Characteristic • Odour: Characteristic • Odour: Characteristic • Odour: Characteristic • Odour: Not determined. • Multing point/meezing point: Undetermined. • Multing point/meezing point: Undetermined. • Fiash point: Solid gas): Not applicable. • Decomposition temperature: Not determined. • Fiash point: Solid gas): Product does not present an explosion hazard. • Explosive properties: Product does not present an explosion hazard. • Explosion limits: • Lower: Not determined. 			during the making we	ere used as dasis.
· General Information · Appearance: · Form: Fluid · Colour: yellow brown · Odour: Characteristic · Odour threshold: Not determined. · pH-value: Not determined. · PH-value: Not determined. · Phage in condition Undetermined. · Initial boiling point and boiling range: Undetermined. · Flash point: >200 °C · Flammability (solid, gas): Not applicable. · Decomposition temperature: Not determined. · Explosive properties: Product does not present an explosion hazard. · Explosion limits: Vot determined.	General protective Keep away from for Wash hands befor Do not inhale gase Respiratory protect Not necessary if ro Respiratory protect Protection of har The glove mater preparation. Selection of the g degradation	ve and hygienic meas oodstuffs, beverages a re breaks and at the er es / fumes / aerosols. ection: oom is well-ventilated. ction if formation of aer nds: rial has to be imperm love material on consi	and feed. nd of work. rosol or mist: use ma neable and resistan	t to the product/ the substance/ th
Form:FluidColour:yellow brownOdour:CharacteristicOdour threshold:Not determined.pH-value:Not determined.change in conditionUndetermined.Melting point/freezing point:Undetermined.Initial boiling point and boiling range:Undetermined.Flash point:>200 °CFlammability (solid, gas):Not applicable.Decomposition temperature:Not determined.Explosive properties:Product does not present an explosion hazard.Explosion limits:Not determined.	The selection of the of quality and varies substances, the re- to be checked prior • Penetration time The exact break to has to be observe • Eye protection: (he suitable gloves does ies from manufacturer esistance of the glove r or to the application. of glove material hrough time has to be id. Goggles recommended	to manufacturer. As material can not be c found out by the ma d during refilling	the product is a preparation of sever alculated in advance and has therefor
Colour:yellow brownOdour:CharacteristicOdour threshold:Not determined.pH-value:Not determined.Change in conditionInitial point/freezing point:Melting point/freezing point:Undetermined.Initial boiling point and boiling range:Undetermined.Flash point:>200 °CFlammability (solid, gas):Not applicable.Decomposition temperature:Not determined.Explosive properties:Product does not present an explosion hazard.Explosion limits:Not determined.	The selection of the of quality and variants substances, the rest to be checked price. Penetration time The exact break thas to be observe Eye protection: Comparison of the sector of	he suitable gloves does ies from manufacturer esistance of the glove for or to the application. of glove material hrough time has to be d. Goggles recommended Protective work clothi Chemical Propert	to manufacturer. As material can not be c found out by the ma d during refilling ing	the product is a preparation of sever alculated in advance and has therefor
Odour:CharacteristicOdour threshold:Not determined.pH-value:Not determined.change in conditionNot determined.Melting point/freezing point:Undetermined.Initial boiling point and boiling range:Undetermined.Flash point:>200 °CFlammability (solid, gas):Not applicable.Decomposition temperature:Not determined.Explosive properties:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.	The selection of the of quality and varies substances, the re- to be checked price • Penetration time The exact break the has to be observe • Eye protection: • Body protection: • Body protection: • General Informate • Appearance:	he suitable gloves does ies from manufacturer esistance of the glove for or to the application. of glove material hrough time has to be d. Goggles recommended Protective work clothi Chemical Propert	to manufacturer. As material can not be c found out by the ma d during refilling ing	the product is a preparation of sever alculated in advance and has therefor
Odour threshold:Not determined.pH-value:Not determined.Change in conditionNot determined.Melting point/freezing point:Undetermined.Initial boiling point and boiling range:Undetermined.Flash point:>200 °CFlammability (solid, gas):Not applicable.Decomposition temperature:Not determined.Explosive properties:Product does not present an explosion hazard.Explosion limits:Not determined.	The selection of the of quality and variation of the substances, the rest to be checked price of the exact break to be observed by protection: Comparison of the exact by protection of the exact by protect	he suitable gloves does ies from manufacturer esistance of the glove for or to the application. of glove material hrough time has to be d. Goggles recommended Protective work clothi Chemical Propert	to manufacturer. As material can not be c found out by the ma d during refilling ing ties	the product is a preparation of sever alculated in advance and has therefor
• pH-value: Not determined. • Change in condition Undetermined. • Melting point/freezing point: Undetermined. • Initial boiling point and boiling range: Undetermined. • Flash point: >200 °C • Flammability (solid, gas): Not applicable. • Decomposition temperature: Not determined. • Explosive properties: Product does not present an explosion hazard. • Explosion limits: Not determined.	The selection of the of quality and varial substances, the rest to be checked price. • Penetration time The exact break the the the observe of the observe of the observe of the observe of the protection: • Body protection: • Body protection: • General Information of the observe of the o	he suitable gloves does ies from manufacturer esistance of the glove for or to the application. of glove material hrough time has to be d. Goggles recommended Protective work clothi Chemical Propert	to manufacturer. As material can not be c found out by the ma d during refilling ing ties Fluid yellow brown	the product is a preparation of sever alculated in advance and has therefor
• Change in condition • Melting point/freezing point: Undetermined. • Initial boiling point and boiling range: Undetermined. • Initial boiling point and boiling range: Undetermined. • Flash point: >200 °C • Flammability (solid, gas): Not applicable. • Decomposition temperature: Not determined. • Explosive properties: Product does not present an explosion hazard. • Explosion limits: • • Lower: Not determined.	The selection of the of quality and varial substances, the rest to be checked price of the exact break the trans to be observed. Eye protection: Comparison of the exact break that to be observed. Eye protection: Comparison of the exact break that that that that that the exact break	he suitable gloves does ies from manufacturer esistance of the glove r or to the application. of glove material hrough time has to be d. Goggles recommended Protective work clothi Chemical Propert	to manufacturer. As material can not be c found out by the ma d during refilling ing fluid Fluid yellow brown Characteristic	the product is a preparation of sever alculated in advance and has therefor
 Melting point/freezing point: Undetermined. Initial boiling point and boiling range: Undetermined. Flash point: >200 °C Flammability (solid, gas): Not applicable. Decomposition temperature: Not determined. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. 	The selection of the of quality and varial substances, the rest to be checked price of the exact break the trans to be observed by protection: (Construction) of the exact break that to be observed by protection: (Construction) of the exact break that that that the exact break that that that that that t	he suitable gloves does ies from manufacturer esistance of the glove r or to the application. of glove material hrough time has to be d. Goggles recommended Protective work clothi Chemical Propert	to manufacturer. As material can not be c found out by the ma d during refilling ing fluid Fluid yellow brown Characteristic Not determined.	the product is a preparation of sever alculated in advance and has therefor
 Initial boiling point and boiling range: Undetermined. Flash point: >200 °C Flammability (solid, gas): Not applicable. Decomposition temperature: Not determined. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. 	The selection of the of quality and varial substances, the rest to be checked price. Penetration time The exact break the transition to be observed by the observed of the section of the	he suitable gloves does ies from manufacturer esistance of the glove i or to the application. of glove material hrough time has to be d. Goggles recommended Protective work clothi Chemical Propert	to manufacturer. As material can not be c found out by the ma d during refilling ing fluid Fluid yellow brown Characteristic Not determined.	the product is a preparation of sever alculated in advance and has therefor
• Flash point: >200 °C • Flammability (solid, gas): Not applicable. • Decomposition temperature: Not determined. • Explosive properties: Product does not present an explosion hazard. • Explosion limits: Not determined. • Lower: Not determined.	The selection of the of quality and varial substances, the rest to be checked price. Penetration time The exact break the thas to be observed break the observed of the section of the se	he suitable gloves does ies from manufacturer esistance of the glove i or to the application. of glove material hrough time has to be d. Goggles recommended Protective work clothi Chemical Propert tion	to manufacturer. As material can not be c found out by the ma d during refilling ing Fluid yellow brown Characteristic Not determined. Not determined.	the product is a preparation of sever alculated in advance and has therefor
 Flammability (solid, gas): Not applicable. Decomposition temperature: Not determined. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. 	The selection of the of quality and varial substances, the rest to be checked price. Penetration time The exact break the thas to be observed be observed by protection: Comparing the second	he suitable gloves does ies from manufacturer esistance of the glove for of to the application. of glove material hrough time has to be d. Goggles recommended Protective work clothi Chemical Propert tion	to manufacturer. As material can not be c found out by the ma d during refilling ing fies Fluid yellow brown Characteristic Not determined. Not determined.	the product is a preparation of sever alculated in advance and has therefor
Decomposition temperature: Not determined. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Not determined.	The selection of the of quality and varial substances, the rest to be checked price. Penetration time The exact break the thas to be observed. Body protection: Comparison of the second seco	he suitable gloves does ies from manufacturer esistance of the glove for of to the application. of glove material hrough time has to be d. Goggles recommended Protective work clothi Chemical Propert tion	to manufacturer. As material can not be c found out by the ma d during refilling ing Fluid yellow brown Characteristic Not determined. Not determined. Undetermined.	the product is a preparation of sever alculated in advance and has therefor
Explosive properties:Product does not present an explosion hazard.Explosion limits:Not determined.	The selection of the of quality and varial substances, the rest to be checked price. Penetration time The exact break the thas to be observed be observed by protection: Comparing the second	he suitable gloves does ies from manufacturer esistance of the glove for of to the application. of glove material hrough time has to be d. Goggles recommended Protective work clothi Chemical Propert tion tion tion ezing point: int and boiling range:	to manufacturer. As material can not be c found out by the ma d during refilling ing fies Fluid yellow brown Characteristic Not determined. Not determined. Undetermined. >200 °C	the product is a preparation of sever alculated in advance and has therefor
Not determined.	The selection of the of quality and varial substances, the rest to be checked price. Penetration time The exact break the thas to be observed be observed of the exact break the thas to be observed be protection: Physical and Body protection: Physical and Body protection: Physical and Body protection: Colour: Colour: Colour: Colour threshold of the pH-value: Change in conditional the the the point of the	he suitable gloves does ies from manufacturer esistance of the glove for of to the application. of glove material hrough time has to be d. Goggles recommended Protective work clothi Chemical Propert tion tion ezing point: int and boiling range: lid, gas):	to manufacturer. As material can not be c found out by the ma d during refilling ing fies Fluid yellow brown Characteristic Not determined. Not determined. Undetermined. >200 °C Not applicable.	the product is a preparation of sever alculated in advance and has therefor
	The selection of the of quality and varia substances, the rest to be checked price of the exact break to be observed. Penetration time The exact break to be observed. Eye protection: Composition to the exact break to be observed. Body protection: Composition to the exact break to be observed. Body protection: Composition to the exact break to be observed. Body protection: Composition to the the exact break to be observed. Body protection: Composition to the exact break to be observed. Body protection: Composition to the exact break to be observed. Body protection: Composition to the the exact break to be observed. Body protection: Composition to the the exact break to be observed. Body protection: Composition to the the exact break to be observed. Body protection to the the exact break to be observed. Body protection to the the exact break to be observed. Body protection to the the exact break to be observed. Body protection to the the exact break to be observed. Body protection to the the exact break to be observed. Body protection to the the exact break to be observed. Body protection to the the exact break to be observed. Body protection to the the exact break to t	he suitable gloves does ies from manufacturer esistance of the glove i or to the application. of glove material hrough time has to be d. Goggles recommended Protective work clothi Chemical Propert tion Chemical Propert tion ezing point: int and boiling range: lid, gas): emperature: rties:	to manufacturer. As material can not be c found out by the ma d during refilling ing ties Fluid yellow brown Characteristic Not determined. Not determined. Undetermined. >200 °C Not applicable. Not determined.	the product is a preparation of sever alculated in advance and has therefor nufacturer of the protective gloves an
· Upper: Not determined.	The selection of the of quality and varia substances, the rest to be checked price of the exact break to be observed. Penetration time The exact break to be observed. Eye protection: Composition to the exact break to be observed. Eye protection: Composition to the exact break to be observed. Eye protection: Composition to the exact break to be observed. Eye protection: Composition to the explosion limits: Composition to the exact break to be observed. Eye protection: Composition to the explosion limits: Composition to the e	he suitable gloves does ies from manufacturer esistance of the glove i or to the application. of glove material hrough time has to be d. Goggles recommended Protective work clothi Chemical Propert tion Chemical Propert tion ezing point: int and boiling range: lid, gas): emperature: rties:	to manufacturer. As material can not be c found out by the ma d during refilling ing fies Fluid yellow brown Characteristic Not determined. Not determined. Undetermined. >200 °C Not applicable. Not determined. Product does not pr	the product is a preparation of sever alculated in advance and has therefor nufacturer of the protective gloves an
	The selection of the of quality and varies substances, the rest to be checked price of the exact break to be observed. Penetration time The exact break to be observed. Eye protection: Composition to the exact break to be observed. Eye protection: Composition to the exact break to be observed. Eye protection: Composition to the exact break to be observed. Eye protection: Composition to the explosion limits: Construction to the exact break to be observed. Eye protection: Composition to the explosion limits: Construction to the explosion limits: Composition to th	he suitable gloves does ies from manufacturer esistance of the glove i or to the application. of glove material hrough time has to be d. Goggles recommended Protective work clothi Chemical Propert tion Chemical Propert tion ezing point: int and boiling range: lid, gas): emperature: rties:	to manufacturer. As material can not be c found out by the ma d during refilling ing fies Fluid yellow brown Characteristic Not determined. Not determined. Undetermined. Undetermined. 200 °C Not applicable. Not determined. Product does not pr Not determined.	the product is a preparation of sever alculated in advance and has therefor nufacturer of the protective gloves an

Printing date 02.02.2024

Version number 2.3



Trade name: SCOOTER 4T SAE 10W/40 JASO MA2

		(Contd. of page 3
· Vapour pressure:	Not determined.	
· Density at 20 °C:	0.866 g/cm³ (ASTM D 4052)	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient: n-octanol/wat	er: Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	95.8 mm²/s @ 40 °C	
· Solvent separation test:	-	
VOC (EC)	0.00 %	
· Other information	No further relevant information available.	

10 Stability and Reactivity

· Reactivity No further relevant information available.

- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

· Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

Oral	LD50 5,000 mg/kg (rat)	
	LOAEL	125 mg/kg/24h (rat)
Dermal	LD50	2,000-5,000 mg/kg (rabbit)
	NOAEL	150 mg/kg/24h (mouse)
		30-2,000 mg/kg/24h (rat)
		1,000 mg/kg/24h (rabbit)
	LOAEL	100 mg/kg/24h (mouse)
Inhalative	LC50 / 4h	2.18-5.53 mg/l (rat)
	NOAEC	980 mg/m3 (rat)
	NOEC	220 mg/m3 (rat)
Serious e Respirato	ye damage ory or skin	tion Based on available data, the classification criteria are not met. e/irritation Based on available data, the classification criteria are not met. sensitisation Based on available data, the classification criteria are not met city Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 5)

AU

Printing date 02.02.2024

Version number 2.3



Trade name: SCOOTER 4T SAE 10W/40 JASO MA2

(Contd. of page 4)

· Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

· Toxicity

· Aquatic toxicity:

72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

LL50 10,000 mg/l/96h (aquatic invertebrates)

- 100 mg/l/96h (fish)
- LL50 10,000 mg/l/72h (aquatic invertebrates)
- LL50 10,000 mg/l/48h (aquatic invertebrates)
- LL50 10,000 mg/l/24h (aquatic invertebrates)
- EL50 10,000 mg/l/48h (aquatic invertebrates)
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number	
· ADG, ADN, IMDG, IATA	

· UN proper shipping name

· ADG, ADN, IMDG, IATA

Not classified as hazardous for transport

Not classified as hazardous for transport

- · Transport hazard class(es)
- · ADG, ADN, IMDG, IATA
- Class

Not classified as hazardous for transport

(Contd. on page 6)

AU

Printing date 02.02.2024

Version number 2.3



Trade name: SCOOTER 4T SAE 10W/40 JASO MA2

	(Contd. of page 5)
· Packing group · ADG, IMDG, IATA	Not classified as hazardous for transport
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
 Transport in bulk according to Anne Marpol and the IBC Code 	ex II of Not applicable.
· UN "Model Regulation":	Not classified as hazardous for transport

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian Inventory of Industrial Chemicals

64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic

72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

4259-15-8 zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)

68784-31-6 Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts

68784-26-9 Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased 8042-47-5 White mineral oil (petroleum)

• Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

· purity requirement

Relevant phrases

H304 May be fatal if swallowed and enters airways.

- · Department issuing SDS: Abteilung Produktsicherheit
- Contact:
- · Abbreviations and acronyms:
- Asp. Tox. 1: Aspiration hazard Category 1

 \cdot * Data compared to the previous version altered.